Unsaturated Zone Hydrology for Scientists and Engineers

James A. Tindall, Ph.D.
United States Geological Survey, National Research Program
Department of Geography and Environmental Sciences, University of Colorado Denver

James R. Kunkel, Ph.D., P.E.
Knight Piésold, LLC, Denver, Colorado;
Department of Geology and Geological Engineering, Colorado School of Mines

with

Dean E. Anderson, Ph.D.
United States Geological Survey, National Research Program

PRENTICE HALL
Upper Saddle River, New Jersey 07458

REFERENCES

SUGGESTED READINGS

Adamson, A. W. 1990. *Physical chemistry of surfaces*. New York: John Wiley & Sons.

Alberty, R. A. 1987. *Physical chemistry*. New York: John Wiley & Sons.

Barnsley, M. F., R. L. Devaney, B.B. Mandelbrot, H. O. Peitgen, D. Saupe, and R. F. Voss. *The science of fractal images*. New York: Springer-Verlag.

Bear, Jacob. 1972. *Dynamics of fluid in porous media*. New York: Dover Publications.

Bear, J. and Y. Bachmat. *Introduction to modeling of transport phenomena in porous media*. London: Kluwer Academic Publishers.

Brady, N. C. 1974. *The nature and properties of soils*. New York: Macmillan.

Cushman, J., ed. 1990. *Dynamics of fluids in hierarchical porous media*. New York: Academic Press.

Feder, Jens. 1988. *Fractals*. New York: Plenum Press.

Fetter, C. W. 1994. *Applied hydrogeology*. 3d ed. Englewood Cliffs, NJ: Prentice Hall.

Freeze, R. A. and J. A. Cherry. 1972. *Groundwater*. Englewood Cliffs, NJ: Prentice Hall.

Grimshaw, R. W. 1971. *The chemistry and physics of clays and allied ceramic materials*. New York: Wiley-Interscience.

Hermance, John, F. 1998. *A mathematical primer on groundwater flow: An introduction to the mathematical and physical concepts of saturated flow in the subsurface*. Englewood Cliffs, NJ: Prentice Hall.

Hillel, Daniel. 1982. *Introduction to soil physics*. London: Academic Press.

Kirkham, D. and W. C. Powers. 1972. *Advanced soil physics*. New York: John Wiley & Sons.

Smith, G. D. 1985. *Numerical solutions of partial differential equations: Finite difference methods*. Oxford: Clarendon Press.

Stumm, Werner. 1992. *Chemistry of the solid-water interface: Processes at the mineral-water and particle-water interface in natural systems*. New York: John Wiley & Sons.

Todd, D. K. (1967). *Ground water hydrology*. New York: John Wiley & Sons.

Abeliuk, R., R. Riquelme, and M. Matthey. 1993. Solute transport model: Irrigation with contaminated wastewater. In *Modelling, Measuring and Prediction*. Water Pollution II, 607–14. Boston: Computational Mechanics.

Abriola, L. M. 1987. Modeling contaminant transport in the subsurface: An interdisciplinary challenge. *Rev. Geophys.* 25:125–34.

Abu-El-Sha'r, W., and L. M. Abriola. 1997. Experimental assessment of gas transport mechanisms in natural porous media: L Parameter evaluation. *Water Resour. Res.* 33(4):505–16.

Adamczyk, Z. and J. Petlicki. 1987. Adsorption and desorption kinetics of molecules and colloidal particles. *J. Colloid Interface Sci.* 118:20–49.

Adams, C. D. and E. M. Thurman. 1991. Formation and transport of deethylatrazine in the soil and vadose zone. *J. Env. Qual.* 20:540–47.

Adams, J. E. and R. J. Hanks. 1964. Evaporation from soil shrinkage cracks. *Soil Sci. Soc. Amer. Proc.* 28:281–84.

Adamson, A. W. 1976. *Physical chemistry of surfaces*. 3d ed. New York: Wiley-Interscience.

———. 1990. *Physical chemistry of surfaces*. 5th ed. New York: John Wiley & Sons.

Addiscott, T. M. and R. J. Wagenet. 1985. Concepts of solute leaching in soils: A review of modeling approaches. *J. Soil Sci.* 36:411–24.

Ahlstrom, S. W. and R. G. Baca. 1974. *Transport model user's manual,* BNWL-1716. Richland, WA: Battelle Pacific Northwest Laboratory.

Akamigbo, F. O. R. and J. B. Dalrymple. 1985. Experimental simulation of the results of clay translocation in the B horizons of soils; the formation of intrapedal cutans. *J. Soil Sci.* 36:401–9.

Alberts, J. J., M. A. Wahlgren, D. M. Nelson, and P. J. Jehn. 1977. Submicron particle size and charge characteristics of Pu in natural waters. *Environ. Sci. Technol.* 11:673–76.

Aldon, E. F. 1972. Reactivating soil ripping treatments for runoff and erosion control in the southwestern U.S. *Ann. Arid Zone* 11:154–60.

Allison, G. B., G. W. Gee and S. W. Tyler. 1994. Vadose-zone techniques for estimating groundwater recharge in arid and semiarid regions. *Soil Sci. Soc. Am. J.* 58:6–14.

Aly, S. M. and J. Letey. 1988. Polymer and water quality effects on flocculation of montmorillonite. *Soil Sci. Soc. Am. J.* 52:1453–58.

ASTM (American Society for Testing and Materials). 1994. Standard test method for infiltration rate of soils in field using double-ring infiltrometers. Section 4 in *Construction 1994 Annual Book of ASTM Standards*. Philadelphia: ASTM.

Anderson, D. M. 1986. Heat of immersion. In *Methods of soil analysis*. *See* Klute 1986.

Anderson, E. A. 1968. Development and testing of snow pack energy balance equations. *Water Resour. Res.* 4(1):19–37.

———. 1976. *A point energy and mass balance model of a snow cover*. National Weather Service Technical Report NWS 19. Silver Spring, MD: National Oceanic and Atmospheric Administration.

Anderson, J. L. and J. Buoma. 1977a. Water movement through pedal soils: I. Saturated flow. *Soil Sci. Soc. Am. J.* 41:413–18.

———. 1977b. Water movement through pedal soils: II. Unsaturated flow. *Soil Sci. Soc. Am. J.* 41:419–23.

Andreae, M. O. and D. S. Schimel, eds. 1989. *Exchange of trace gases between terrestrial ecosystems and the atmosphere*. New York: John Wiley & Sons.

Angell, K. G. 1992. In situ remedial methods: Air sparging. *The National Environmental Journal* (January/February):20–23.

Ankeny, M. D., T. C. Kaspar, and R. Horton. 1988. Design for an automated tension infiltrometer. *Soil Sci. Soc. Am. J.* 52:893–96.

Aomine, S. and K. Egashira. 1970. Heat of immersion of allophanic clays. *Soil Sci. Plant Nutr. Tokyo* 16:204–11.

Armstrong, D. E. and J. G. Konrad. 1974. Nonbiological degradation of pesticides. In *Pesticides in soil and water*, ed. W. D. Guenzi, 123–31. American Society of Agronomy.

Atanasiu, N. 1956. Eilhard Alfred Mitscherlich. *Soil Sci.* 82:99–100.

Avnir, D., D. Farin, and P. Pfeifer. 1984. Molecular fractal surfaces. *Nature* 308: 261–63.

Babcock, K. L. 1963. Theory of the chemical properties of soil colloidal systems at equilibrium. *Hilgardia* 34:417–542.

Backer, D. G. 1965. Factors affecting soil temperature. *Minn. Farm Home Sci.* 22: 11–13.

Baehr, A. L. and C. J. Bruell. 1990. Applications of the Stefan-Maxwell equations to determine the limitations of Fick's law when modeling organic vapor transport in sand columns. *Water Resour. Res.* 26(6):1155–63.

Baier, J. H. and Dennis Moran. 1981. *Status report on aldicarb contamination of groundwater as of September 1981*. Hauppauge, NY: Suffolk County Department of Health Services.

Baker, R. S. and D. Hillel. 1990. Laboratory tests of a therory of fingering during infiltration into layered soils. *Soil Sci. Soc. Am. J.* 54:20–30.

Baldocchi, D. D. 1993. Scaling water vapor and carbon dioxide exchange from leaves to a canopy: Rules and tools. In *Physiological processes: Leaf to globe*, ed. J. Ehleringer and C. B. Field, 77–114. London: Academic Press.

Baldocchi, D. D., D. R. Matt, B. A. Hutchison, and R. E. McMillen. 1984. Solar radiation within an oak–hickory forest: An evaluation of the extinction coefficients for several radiation components during fully leafed and leafless periods. *Agric. & For. Meteorol.* 32:307–22.

Baldocchi, D. D. and T. L. Meyers. 1991. Trace gas exchange above the floor of a deciduous forest. I. Evaporation and CO_2 efflux. *J. Geophys. Res.* 96:7271–85.

Ballard, T. M. 1971. Role of humic carrier substances in DDT movement through forest soil. *Soil Sci. Soc. Am. Proc.* 35:145–47.

Barley, K. P. (1962). The effect of mechanical stress on the growth of roots. *J. Exp. Bot.* 13:95–110.

Barnes, C. J. and G. B. Allison. 1988. Tracing of water movement in the unsaturated zone using stable isotopes of hydrogen and oxygen. *J. Hydrol.* 100:143–76.

Barnhisel, R. I. and P .M. Bertsch. 1989. Chorites and hydroxy-interlayered vermiculite and smectite. In: *Minerals in soil environments*, eds. J. B. Dixon and S. B. Weed. Madison, WI: SSSA.

Barnsley, M. F., R. L. Devaney, B. B. Mandelbrot, H. O. Peitgen, D. Saupe, and R. F. Voss. 1988. *The science of fractal images*. New York: Springer-Verlag.

Barouch, E., T. H. Wright, and E. Matijevic. 1987. Kinetics of particle detachment. I. General considerations. *J. Colloid Interface Sci.* 118:473–81

Barr, S. S., R. H. Miller, and J. T. Logan. 1978. Some factors affecting denitrification in soils irrigated with wastewater. *J. Water Pollution Control Federation* 50:709–17.

Bartoli, F. and R. Philippy. 1987. The colloidal stability of variable-charge mineral suspensions. *Clay Minerals* 22:93–107.

Baver, L. D., W. H. Gardner, and W. R. Gardner. 1972. *Soil physics*. New York: John Wiley & Sons.

Baver, L. D. 1928. The relation of exchangeable cations to the physical properties of soils. *J. Am. Soc. Agron.* 20:921–41.

Bear, J. 1972. *Dynamics of fluids in porous media*. New York: Elsevier.

———. 1979. *Hydraulics of groundwater*. New York: McGraw-Hill.

Beckett, R. and N. P. Le. 1990. The role of organic matter and ionic composition in determining the surface charge of suspended particles in natural waters. *Coll. and Surfaces* 44:35–49.

Behara, N., S. K. Joshi, and D. P. Pati. 1990. Root contribution to total soil metabolism in a tropical forest in Orissa, India. *For. Ecol. Manag.* 36:125–45.

Bengtsson, G., C. Enfield, and R. Lindqvist. 1987. Macromolecules facilitate the transport of trace organics. *Sci. Total Env.* 67:159–64.

Benjamin, J. R. and C. A. Cornell. 1970. *Probability, statistics, and decision for civil engineers*. New York: McGraw-Hill.

Bennett, H. H. 1939. *Soil Conservation*. New York: McGraw-Hill.

Benson, S. W. 1978. *Thermochemical kinetics*. 2d ed. New York: John Wiley & Sons.

Benson, S. W., F. R. Cruickshank, D. M. Golden, G. R. Haugen, H. E. O'Neal, A. S. Rogers, R. Shaw, and P. Walsh. 1969. Additivity rules for the estimation of thermo-chemical properties. *Chem. Rev.* 69:279–324.

Bentley, H. W., F. M. Phillips, and S. M. Davis. 1986. Chlorine-36 in the terrestrial environment. In *Handbook of environmental isotope geochemistry*. Volume 1B: *The terrestrial environment*, ed. P. Fritz and J.-C. Foutes, 427–80. New York: Elsevier.

Berg, R. C., Morse, W. J., and Johnson, T. M. 1987. Hydrogeologic evaluation of the effects of surface application of sewage sludge to agricultural land near Rockton, IL. *Environ. Geo. Notes* 119.

Berg, W. A., J. T. Herron, H. P. Harbert, III, and J. E. Kiel. 1979. *Vegetative stabilization of Union Oil Company process B retorted oil shale, 1975–1978*. Department of Agronomy. Fort Collins, CO: Colorado State University.

Bernhard, R. K. and M. Chasek. 1953. Soil density determination by means of radioactive isotopes. *Nondestruct. Text* 11:17–23.

Bertrand, A .R. 1965. Rate of water intake in the field. In *Methods of soil analysis*, ed. C. A. Black, 197–208. Madison, WI: Soil Science Society of America.

Bertrand, A. R. and K. Sor. 1962. The effects of rainfall intensity on soil structure and migration of colloidal materials in soils. *Soil Sci. Soc. Am. Proc.* 26:297–300.

Beven, K. and P. Germann. 1982. Macropores and water flow in soils. *Water Resour. Res.* 18:1311–25.

Biggar, J. W. and D. R. Nielsen. 1962. Miscible Displacement II. Behavior of tracers. *Soil Sci. Soc. Am. Proc.* 26:125–28.

———. 1964. Chloride-36 diffusion during stable and unstable flow through glass beads. *Soil Sci. Soc. Am. Proc.* 28:591–94.

———. 1967. Miscible displacement and leaching phenomenon. In *Irrigation of agricultural lands*, ed. R. M. Hagan, H. R. Haise, and T. W. Edminster, 254–71. Madison, WI: American Society of Agronomy.

———. 1976. Spatial variability of the leaching characteristics of a field soil. *Water Resour. Res.* 12:78–84.

Bird, R. B., W. E. Stewart, and E. N. Lightfoot. 1960. *Transport phenomena*. New York: McGraw-Hill.

Bjerrum, L., J. Moum, and O. Eide. 1967. Application of electro-osmosis to a foundation problem in a Norwegian quick clay. *Geotechnique* 17:214–35.

Black, T. A., W. R. Gardner, and G. W. Thurtell. 1969. The prediction of evaporation drainage and soil water storage for a bare soil. *Soil Sci. Soc. Am. Proc.* 33:655–60.

Blaney, H. F. and W. D. Criddle. 1950, *Determining water requirements in irrigated areas from climatological and irrigation data*. Technical Paper 96. Washington, DC: Soil Conservation Service, U.S. Department of Agriculture.

———. 1957. *Report on irrigation requirements for West Pakistan*. Denver: Tipton and Kalmbach, Inc.

———. 1962, *Determining consumptive use and irrigation water requirements*. Technical Bulletin 1275. Washington, DC: Soil Conservation Service, U.S. Department of Agriculture.

Blaney, H. F. and E. G. Hanson. 1965. *Consumptive use and water requirements in New Mexico*. Technical Report 32. Santa Fe, NM: New Mexico State Engineer.

Boersma, L. 1965. Field measurement of hydraulic conductivity above the water table. In *Methods of soil analysis*. *See* Klute 1986.

Bolt, G. H. 1976. Soil physics terminology. *Int. Soc. Soil Sci. Bull.* 49:16–22.

———. 1982. Movement of solutes in soils: Principles of adsorption/exchange chromatography. In *Soil chemistry. B. Physico-chemical models*, ed. G. H. Bolt. Amsterdam: Elsevier.

Boltzmann, L. 1894. Zur integration des diffusiongleichung bei variabeln diffusions coefficienten. *Ann. Phys.* 53:959–64.

Bond, R. W., C. R. Cole, and P. J. Gutknecht. 1984. *Unsaturated groundwater flow model (UNSAT1D) computer code manual, CS-2434-CCM*. Palo Alto, CA: Electric Power Research Institute.

Borchardt, G. 1989. Smectites. In *Minerals in soil environments*, ed. J. B. Dixon and S. B. Weed. Madison, WI: Soil Science Society of America.

Bouma, J. 1979. Field measurement of soil hydraulic properties characterizing water movement through swelling clay soils. *J. Hydrol.* 45:149–58.

Bouma, J., L. W. Dekker, and J. C. F. M. Haans. 1979. Drainability of some Dutch clay soils: A case study of soil survey interpretation. *Geoderma* 22:193-203.

Bouwer, H. 1966. Rapid field measurements of air entry value and hydraulic conductivity of soil as significant parameters in flow system analyses. *Water Resources Research* 2(4):729–38.

Bouwman, A. F., I. Fung, E. Matthews, and J. John. 1993. Global analysis of the potential for N_2O production in natural soils. *Glob. Biogeochem. Cy.* 7(3):557–97.

Bouyoucos, G. J. 1917. Measurement of the inactive, or unfree, moisture in the soil by means of the dilatometer method. *J. Agr. Res.* 8:195–217.

———. 1921. A new classification of soil moisture. *Soil Sci.* 11:33–48.

———. 1927a. The hydrometer as a new and rapid method for determining the colloidal content of soils. *Soil Sci.* 23:319–30.

———. 1927b. The hydrometer as a new method for the mechanical analysis of soils. *Soil Sci.* 23:343–49

———. 1947. A new electrical resistance thermometer for soils. *Soil Sci.* 63:291–98.

Bowden, R. D., K. J. Nadelhoffer, R. D. Boone, J. M. Melillo, J. B. Garrison. 1993. Contributions of above-ground litter, below-ground litter, and root respiration to total respiration in a temperature hardwood forest. *Can. J. For. Res.* 23:1402–407.

Bower, C. A. and Goertzen, J. O. 1959. Surface area of soils and clays by an equilibrium ethylene glycol method. *Soil Sci.* 87:289–92.

Brakensiek, D. L. and W. J. Rawls. 1988. Effects of agricultural rangeland management systems on infiltration. In *Modeling Agricultural, Forest, and Rangeland Hydrology*. St. Joseph, MI: American Society of Agricultural Engineers.

Branson, F. A., G. F. Gifford, K. G. Renard, and R. F. Hadley. 1981. *Rangeland hydrology*, 47–72. Dubuque, IA: Kendall/Hunt.

Bremner, J. M. 1967. Nitrogenous compounds. In *Soil biochemistry*, Vol. 1, ed. A. D. McLaren and G. H. Peterson, 19–66. New York: Marcel Dekker.

Brenner, H. 1962. The diffusion model of longitudinal mixing in beds of finite length. Numerical values. *Chem. Eng. Sci.* 17:229–43.

Bresler, E. 1973a. Simultaneous tansport of solutes and water under transient unsaturated flow conditions. *Water Resour. Res.* 9:975–86.

———. 1973b. Anion exclusion and coupling effects in nonsteady transport through unsaturated soil. 1. Theory. *Soil Sci. Soc. Am. Proc.* 37:663–69.

———. 1977. Trickle-drip irrigation: Principles and application to soil-water management. In *Advances in Agronomy*, Vol. 29, ed. N. C. Brady, 343–93. Madison, WI: American Society of Agronomy.

Bresler, E. and G. Dagan. 1979. Solute dispersion in unsaturated heterogeneous soil at field scale. II. Application. *Soil Sci. Soc. Am. J.* 43:467–72.

Bresler, E., W. D. Kemper, and R. J. Hanks. 1969. Infiltration, redistribution and subsequent evaporation of water from soil as affected by wetting rate and hysteresis. *Soil Sci. Soc. Am. Proc.* 33:832–40.

Bresler, E., B. L. McNeal, and D. L. Carter. 1982. Saline and sodic soils: Principles–dynamics–modeling. New York: Springer-Verlag.

Bresler, E., H. Bielorai, and A. Laufer. 1979. Field test of solution flow models in a heterogeneous irrigated cropped soil. *Water Resour. Res.* 15:645-52.

Briggs, L. J. 1897. *The mechanics of soil moisture*. Bulletin 10, USDA Bureau of Soils, Washington, DC: U.S. Department of Agriculture.

———. 1950. Limiting negative pressure of water. *J. Appl. Phys.* 21:721–22.

Briggs, L. J. and J. W. McLane. 1907. *The moisture equivalent of soils*. Bulletin 45, USDA Bureau of Soils. Washington, DC: U.S. Department of Agriculture.

Briggs, L. J. and H. L. Shantz. 1912. *The wilting coefficient for different plants and its indirect determination*. Bulletin 230, USDA Bur. Plant Ind. Washington, DC: U.S. Department of Agriculture.

Broadbridge, P. and I. White. 1988. Constant rate rainfall infiltration: A versatile nonlinear model 1. Analytic solution. *Water Resour. Res.* 24(1):145–54.

Brooks, R. H. and A. T. Corey. 1964. *Hydraulic properties of porous media*. Hydrology Paper No. 3. Fort Collins, CO: Colorado State University.

———. 1966. Properties of porous media affecting fluid flow. *J. Irrig. Drain. Div., Am. Soc. Civil Eng.* 92:61–88.

Brooks, C. S. and W. R. Purcell. 1952. Surface area measurements on sedimentary rocks. *Trans. A.I.M.E.* 195:289–96.

Brown, D. S. and E. W. Flagg. 1981. Empirical prediction of organic pollutant adsorption in natural sediments. *J. Env. Qual.* 10:382–86.

Brown R.W. and B.P. van Haveren, eds. 1971. *Psychrometry in water relations research*. Proceedings, Symposium on Thermocouple Psychrometers. Logan, UT: Utah Agricultural Experiment Station, Utah State University.

Bruce, K., W. Flach, and H. M. Taylor, eds. *Field soil water regime*. SSSA Special Publications Series No. 5. Madison, WI: Soil Science Society of America.

Bruce, R. R. 1972. Hydraulic conductivity evaluation of the soil profile from soil water retention relations. *Soil Sci. Soc. Am. Proc.* 36:555–61.

Bruce, R. R. and A. Klute. 1956. The measurement of soil moisture diffusivity. *Soil Sci. Soc. Am. Proc.* 20:458–62.

———. 1962. Measurements of soil moisture diffusivity from tension plate outflow data. *Soil Sci. Soc. Am. Proc.* 26:18–21.

Bruce, R. R. and F. O. Whisler. 1973. Infiltration of water into layered field soils. In *Physical aspects of soil water and salts in ecosystems*, ed. A. D. Hadas et al. New York: Springer-Verlag.

Brunauer, S. 1945. *The adsorption of gases and vapors*. Vol. 1, Princeton, NJ: Princeton University Press.

Brunauer, S., P. H. Emmett, and E. Teller. 1938. Adsorption of gases in multimolecular layers. *J. Am. Chem. Soc.* 60:309–19.

Brunini, O. and G.W. Thurtell. 1982. An improved thermocouple hygrometer for insitu measurements of soil water potential. *Soil Sci. Soc. Am. J.* 46:900–4.

Brutsaert, W. and D. Chen. 1995. Desorption and the two stages of drying of natural tallgrass prairie. *Water Resour. Res.* 31(5):1305–313.

Buck, A.L. 1981. New equations for computing vapor pressure and enhancement factor. *J. Appl. Meteor.* 20:1527–32.

Buckingham, E. 1904. *Contributions to our knowledge of the aeration of soils*. USDA Bulletin 25. Washington, DC: U.S. Department of Agriculture.

Buckingham, E. 1907. *Studies on the movement of soil moisture*. Bulletin 38, USDA Bureau of Soils. Washington, DC: U.S. Department of Agriculture

Buddemeier, R. W. and J. P. Hunt. 1988. Transport of colloidal contaminants in ground-water: radionuclide migration at the Nevada test site. *Applied Geochem.* 3:535–48.

Budyko, M. I., ed. 1963. *Guide to the atlas of the heat balance of the earth* (translated from Russian), U.S. Department of Commerce, WB\T-106.

Bumb, A. C. 1987. Unsteady-state flow of methane and water in coalbeds. Ph.D. Diss., University of Wyoming, Laramie.

Bumb, A. C., C. R. McKee, R. B. Evans, and L. A. Eccles. 1988. Design of lysimeter leak detector networks for surface impoundments and landfills. *Ground Water Monitoring Review,* Spring 1988.

Bumb, A. C., C. L. Murphy, and L. G. Everett. 1992. A comparison of three functional forms for representing soil moisture characteristics. *Ground Water* 30(2):177–85.

Buol, S. W., F. D. Hole, and R. J. McCracken. 1973. *Soil genesis and classification*. Ames, IA: Iowa State Press.

Camargo, M. N. and F. H. Beinroth, eds. 1978. Proceedings first international soil classification workshop (Brazil). Embrapa, Rio de Janeiro, Brazil.

Cameron, D. R. and A. Klute. 1977. Convective-dispersive solute transport with a combined equilibrium and kinetic adsorption model. *Water Resour. Res.* 13: 183–88.

Campbell, G. S. and Jan van Schilfgaarde. 1981. Use of SI units in soil physics. *J. Agron. Education.* 10:73–74.

Campbell, R. E. 1968. Production capabilities of some Upper Rio Puerco soils of New Mexico. USDA Forest Service Res. Note RM-108. Fort Collins, CO: Rocky Mountain Forest and Range Exp. St.

Carman, P. C. 1937. Fluid flow through a granular bed. *Trans. Inst. Chem. London.* 15:150–56.

Carsel, R. F., C. N. Smith, L. A. Mulkey, J. D. Dean, and P. P. Jowise. 1984. User's manual for the pesticide root zone model (PRZM): Release 1. USEPA EPA-600/3-84-109. Washington, DC: U.S. Government Printing Office.

Carslaw, H. S. and J. C. Jaeger. 1959. *Conduction of heat in solids*. 2d ed. New York: Oxford University Press.

Carter, D. L., M. M. Mortland, and W. D. Kemper. 1986. Specific surface. In *Methods of Soil Analysis*, ed. C. A. Black. Monograph 9. Madison, WI: Am. Soc. Agron.

Casagrande, L. 1959. *A review of past and current work on electro-osmotic stabilization of soils*. Harvard Soil Mechanics Series, No. 45. Cambridge, MA: Harvard University.

Casimir, H. B. G. and D. Polder. 1948. The influence of retardation on the London-van der Waals forces. *Phys. Rev.* 73:360–72.

Celia, M. A., E. T. Bouloutas, and R. Zarba. 1990. A general mass-conservative numerical solution for the unsaturated flow equation. *Water Resour. Res.* 27(7): 1483–96.

CH_2M-Hill. 1985. Soil Contaminant Evaluation Methodology (SOCEM I). In Guidance on Remedial Actions for Contaminated Soils at CERCLA Sites. *Ground Water* (May-June).

Chalky, J. W., J. Cornfield, and H. Park. 1949. A method of estimating volume-surface ratios. *Science* 110:295.

Champ, D. R. 1990. Observations on the movement of colloidal particles in saturated media at the Chalk River nuclear laboratories. *Hazardous Materials Control* (July/August):45–56.

Chapman, D. L. 1913. A contribution to the theory of electro-capillarity. Sixth Series London, Edinburgh and Dublin. *Philosophical Magazine* 25:475–81.

Chapman, H. D. 1965. Cation exchange capacity. In *Methods of Soil Analysis*. *See* Klute 1986.

Charbeneau, R. J. 1984. Kinematic models for soil moisture and solute transport, *Water Resour. Res.* 20(6):699–706.

———. 1989. Liquid moisture redistribution: Hydrologic simulation and spatial variability. In *Unsaturated flow in hydrologic modeling, theory and practice*. Proceedings of the NATO Advanced Research Workshop on Unsaturated Flow in Hydrologic Modelling Theory and Practice, Arles, France, 13–17 June 1988, ed. H. J. Morel-Seytoux, 127–60. Kluwer Academic Publishers.

Chepil, W.S. (1962). A compact rotary sieve and the importance of dry sieving in physical soil analysis. *Soil Sci. Soc. Am. Proc.* 26:4–6.

Childs, E. C. 1936. Transport of water through heavy clay soils. *I. J. Agr. Sci.* 26:392–405.

———. 1964. The ultimate moisture profile during infiltration in a uniform soil. *Soil Sci.* 97:173–78.

———. 1967. Soil moisture theory. *Hydrosci.* 4:73–117.

———. 1969. *The physical basis of soil water phenomena*. London: John Wiley& Sons.

Childs, E. C. and M. Bybordi. 1969. The vertical movement of water in stratified porous material, 1. Infiltration. *Water Resour. Res.* 5(2).

Childs, E. C. and N. Collis-George. 1948. Soil geometry and soil-water equilibrium. *Discuss. Faraday Soc.* 3:78–85.

———. 1950a. The permeability of porous materials. *Proc. R. Soc. London* A201: 392–405.

———. 1950b. Movement of moisture in unsaturated soils. *Trans. Int. Congr. Soil Sci.*, Amsterdam I:1–4.

Chiou, C. T. 1989. Partition and adsorption on soil and mobility of organic pollutants and pesticides. In *Toxic Organic Chemicals in Porous Media*, eds. Z. Gerstl, Y. Chen, U. Mingelgrin, and B. Yaron, 163–75. New York: Springer-Verlag.

Chiou, C. T., L. J. Peters, and V. H. Freed. 1979. A physical concept of soil-water equilibria for nonionic organic compounds. *Science* 206:831–32.

———. 1989. A physical concept of soil-water equilibria for nonionic organic compounds. *Science* 206:831–32.

Chiou, C. T., P. E. Porter, and D. W. Schmedding. 1983. Partition equilibria of nonionic organic compounds between soil organic matter and water. *Environ. Sci. Technol.* 17:227–31.

Chiou, C. T., R. L. Malcolm, T. I. Brinton, and D. E. Kile. 1986. Water solubility enhancement of some organic pollutants and pesticides by dissolved humic and fulvic acids. *Environ. Sci. Technol.* 20:502–8.

Cho, C. M. 1971. Convective tranport of ammonium with nitrification in soil. *Can. J. Soil Sci.* 51:339–50.

Christensen, R. C., E. B. Johnson, and G. G. Plantz. 1986. Manual for estimating selected streamflow characteristics of natural-flow streams in the Colorado River Basin in Utah. Geological Survey Water-Resources Investigations Report 85-4297, Prepared in cooperation with the U.S. Bureau of Land Management.

Cienciala, E. and A. Lindroth. 1995. Gas exchange and sap flow measurements of willow trees in short-rotation forest. I. Transpiration and sap flow. *Trees* 9:289–94.

Clapp, R. B. and G. M. Hornberger. 1978. Empirical equations for some soil hydraulic properties: *Water Resour. Res.* 14:601–4.

Cleary, R. W. and D. D. Adrian. 1973. Analytical solution of the convective-dispersive equation for cation adsorption in soils. *Soil Sci. Soc. Amer. Proc.* 37:197–99.

Clements, W. E. and M. H. Wilkening. 1974. Atmospheric pressure effects on ^{222}Rn transport across the earth-air interface. *J. Geophys. Res.* 79(33):5025–29.

Clothier, B. E. and T. J. Sauer. 1988. Nitrogen transport during drip fertigation with urea. *Soil Sci. Soc. Amer.* 52:345–49.

Coats, K. H. and B. D. Smith. 1964. Dead end pore volume and dispersion in porous media. *Soc. Pet. Eng. J.* 4:73–84.

Code of Federal Regulations (10 CFR Part 60). 1987. Title 10, "Energy," Part 60, "Disposal of high-level radioactive wastes in geologic repositories." Washington, DC: U.S. Government Printing Office.

Cohen, R. M., J. W. Mercer, and J. Matthews. 1993. *DNAPL site evaluation*. Boca Raton, FL: CRC Press.

Cohen, S. 1988. State and USGS activities in New England. *Ground Water Monitoring Review,* Winter 1988.

Collis-George, N. 1955. Hysteresis in moisture content-suction relationships in soils. *Proc. Nat. Acad. Sci. India* 24A:80–85.

———. 1974. A laboratory study of infiltration-advance. *Soil Sci.* 117:282–87.

Conrad, R. 1989. Control of methane production in terrestrial ecosystems. In *Exchange of trace gases between terrestrial ecosystems and the atmosphere*, eds. M. O. Andreae and D. S. Schimel, 39–58. New York: John Wiley & Sons.

———. 1995. Soil microbial processes and the cycling of atmospheric trace gases. *Phil. Trans. R. Soc. Lond.* A351:219–30.

Cook, P. B., I. D. Jolly, F. W. Leaney, G. R. Walker, G. L. Allan, L. K. Fifield, and G. B. Allison. 1994. Unsaturated zone tritium and chlorine 36 profiles from southern Australia: Their use as tracers of soil water movement. *Water Resour. Res.* 30(6): 1709–19.

Cooney, D. O., B. A. Adesanya, and A. L. Hines. 1983. Effects of particle size distribution on adsorption kinetics in stirred batch systems. *Chem. Eng. Sci.* 38:1535–40.

Corey, A. T. 1977. *Mechanics of heterogeneous fluids in porous media*. Ft. Collins, CO: Water Resources Publications.

———. 1986. Air permeability. In *Methods of Soil Analysis, Part I*, ed. A. Klute, 1121–36. Madison, WI: Amer. Soc. Agron. & Soil Sci. Soc. Amer.

Corey, A. T. and A. Klute. 1985. Application of potential concept to soil water equilibrium and transport. *Reviews of Research. Soil Sci. Soc. Am. J.* 49:3–11.

Corey, J. C., D. R. Nielsen, and Don Kirkham. 1967. Miscible displacement of nitrate through soil columns. *Soil Sci. Soc. Am. Proc.* 31:497–501.

Couto, W., C. Sanzonowicz, and A. De O. Barcellos. 1985. Factors affecting oxidation-reduction process in an Oxisol with a seasonal water table. *Soil Sci. Soc. Am. J.* 49:1245–48.

Coutts, J. R. H., M. F. Kandil, J. L. Nowland and J. Tinsley. 1968a. Use of radioactive Fe for tracing soil particle movement. Part I. Field studies of splash erosion. *J. Soil Sci.* 19:311–24.

———. 1968b. Use of radioactive Fe for tracing soil particle movement. Part II. Laboratory studies of labeling and splash displacement. *J. Soil Sci.* 19:325–41.

Craig, P. M. and E. C. Davis. 1985. *Application of the finite element groundwater model FEWA to the engineered test facilities, Oak Ridge National Laboratory*. Publication No. 2581. Oak Ridge, TN: Environmental Sciences Division, Oak Ridge National Laboratory.

Craig, Jr., G. S. and J. G. Rankl. 1978. *Analysis of runoff from small drainage basins in Wyoming*. Geological Survey Water-Supply Paper 2056. Washington, DC: Federal Highway Administration.

Cramer, H. 1955. *Mathematical methods of statistics*. Princeton, NJ: Princeton University Press.

Crank, J. 1956. *The mathematics of diffusion*. London: Oxford Univ. Press.

———. 1975. *The mathematics of diffusion*. Oxford: Clarendon Press.

Croney, D., J. D. Coleman, and W. P. M. Black. 1958. Movement and distribution of water in soil in relation to highway design and performance. In *Water and its conduction in soils*, ed. H. F. Winterkorn. Special Rep. No. 40. Washington, DC: Highway Res. Board.

Cunningham,R. E. and R. J. J. Williams. 1980. *Diffusion in gases and porous media*. New York: Plenum.

Cushman, J. H. 1982. Nutrient transport inside and outside the root rhizosphere. *Theory. Soil Sci. Soc. Amer. J.* 46:704–9.

Cushman, J., ed. 1990. *Dynamics of fluids in hierarchical porous media*. New York: Academic Press.

Daamen, C. C., L. P. Simmonds, J. S. Wallace, K. B. Laryea, and M. V. K. Sivakumar. 1993. Use of microlysimeters to measure evaporation from sandy soils. *Agric. & For. Meteor.* 65:159–73.

Dagan, G. and E. Bresler. 1983. Unsaturated flow in spatially variable fields. 1. Derivation of models of infiltration and redistribution. *Water Resour. Res.* 19(2): 413–20.

Dalton, J. 1802. Experimental essays on the constitution of mixed gases; on the force of steam or vapor from water and other liquids in different temperatures, both in a Torricellian vacuum and in air; on evaporation; and on the expansion of gases by heat. *Manchester Lit. Phi. Soc. Mem. Proc.* 5:536–602.

Dana, J. D. 1954. *A textbook of mineralogy*. New York: McGraw-Hill.

Dankwaerts, P. V. 1953. Continuous flow systems, *Chemical Engineering Science* 2:1–13.

Darcy, H. 1956. *Les fontaines publiques de la ville de Dijon*. Paris: Dalmont.

Daumas, M. 1958. The chemistry of principles. In *The beginnings of modern science*, ed. R. Taton, 322–23. London: Thames and Hudson.

Davidson, J. M., J. W. Biggar, and D. R. Nielsen. 1963. Gamma attenuation for measuring bulk density and transient water flow in porous materials. *J. Geophys. Res.* 68:4777–83.

Davidson, J. M., L. R. Stone, D. R. Nielsen, and M. E. LaRue. 1969. Field measurement and use of soil water properties. *Water Resour. Res.* 5:1312–21.

Davies, D. B. and D. Payne. 1988. Management of soil physical properties. In *Russel's Soil Conditions & Plant Growth*, ed. Alan Wild, 412–48. Essex, England: Longman Scientific & Technical.

Davies, J. A. 1979. Estimating the surface radiation balance and its components. In *Modification of the Aerial Environment of Crops*, eds. Barfield and Gerber, 183–210. St. Joseph, MI: Amer. Soc. Agric. Engrs.

Davis, J. A. 1982. Adsorption of natural dissolved organic matter at the oxide/water interface. *Geochim. Cosmochim. Acta* 46:2381–93.

Davis, L. A. and S. P. Neuman. 1983. Documentation and user's guide: UNSAT2—Variably saturated flow model. NUREG/CR-3390. Washington, DC: U.S. Nuclear Regulatory Commission.

Davis, L. A. and G. Segol. 1985. Documentation and user's guide: GS2 and GS3—Variably saturated flow and mass transport models. NUREG/CR-3901. Washington, DC: U.S. Nuclear Regulatory Commission.

Davis, L. S. 1980. Computer analysis of seepage and groundwater response beneath tailing impoundments. Report Grant NSF/RA-800054. Washington, DC: National Science Foundation.

Davis, T. L., J. K. Greig, and M. B. Kirkham, 1988. Wastewater irrigation of vegetable crops. *Biocycle* 29:60–63.

Davy, Sir Humphrey. 1813. *Elements of agricultural chemistry*. London: Longman, Hurst, Rees, Orme, and Brown.

Dawson, H. J., B. F. Hrutfiord, R. J. Zasoski, and F. C. Ugolini. 1981. The molecular weight and origin of yellow organic acids. *Soil Sci.* 132:191–99.

Day, P. R. 1953. Experimental confirmation of hydrometer theory. *Soil Sci.* 75:181–86.

Day, P. R. 1965. Particle fractionation and particle-size analysis. In *Methods of Soil Analysis, Part I*, eds. C. A. Black, F. E. Clark, L. G. Ensmiger, D. D. Evans, and J. L. White, 454–567. Madison, WI: Am. Soc. Agron.

de Laat, P. J. M. 1985. MUST, A simulation model for unsaturated flow. Report series no. 16. Delft, The Netherlands: International Institute for Hydraulic and Environmental Engineering.

De Smedt, F. and P. J. Wierenga. 1979a. Mass transfer in porous media with immobile water. *J. Hydrology* 41:59–67.

———. 1979b. A generalized solution for solute flow in soils with mobile and immobile water. *Water Resour. Res.* 15:1137–41.

———. 1984. Solute transfer through columns of glass beads. *Water Resour. Res.* 20: 225–32.

de Vries, D. A. 1963. Thermal properties of soils. In *Physics of plant environment*, ed. W. R. van Wijk, 210–35. Amsterdam: North-Holland.

———. 1975. Heat transfer in soils. In *Heat and mass transfer in the biosphere*, eds. D. A. de Vries and N. H. Afgan, 5–28. Washington, DC: Scripta Book Co.

DeWiest, R. J., ed. 1969. *Flow through porous media*. New York: Acadmic Press.

Debye, P. and E. Huckel. 1923. Theory for electro-chemical double layer. *Physik. Z.* 24:185.

Delin, G. N. and M. K. Landon. 1993. Effects of focused recharge on the transport of agricultural chemicals at the Princeton, Minnesota Management Systems Evaluation Area, 1991–1992. In *Agricultural research to protect water quality*, vol. I, 210–12. Proc. Conf., 21–24 February, Minneapolis, MN. Ankeny, IA: Soil and Water Conservation Society.

Denmead, O. T. 1991. Sources and sinks of greenhouse gases in the soil plant environment. *Vegetatio* 91:73–86.

Derjaguin, B. V. and N. V. Churaev. 1978. On the question of determining the concept of disjoining pressure and its role in the equilibrium and flow of thin films. *J. Colloid Interface Sci.* 66:389–98.

Derjaguin, B. V. and L. Landau. 1941. Theory of the stability of strongly charged lyophobic sols and the adhesion of strongly charged particles in solutions of electrolytes. *Acta Physicochim. URSS* 14:633–62.

Deshpande, T. L., D. J. Greenland, and J. P. Quirk. 1964. Role of iron oxides in the bonding of soil particles. *Nature* 201:107–8.

Deutel, S. K. 1988. Application of the precipitation-charge neutralization model of coagulation. *Environ. Sci. Technol.* 22:825–32.

Diamond, S. (1970). Pore size distribution in clays. *Clays Clay Mineral.* 18:7–24.

Dick, W. A., W. M. Edwards, and F. Haghiri. 1986. Water movement through soil to which no-tillage cropping practices have been continously applied. In *Proc. Agric. Impacts on Ground Water—A Conference*. Dublin, OH: Omaha Nebraska Natl. Water Well Assoc.

Diment, G. A. and K. K. Watson. 1983. Stability analysis of water movement in unsaturated porous materials, 2. Numerical studies. *Water Resour. Res.* 19:1002–10.

———. 1985. Stability analysis of water movement in unsaturated porous materials, 3. Experimental Studies. *Water Resour. Res.* 21:979–84.

Dingman, S.L. 1994. *Physical hydrology*. New York: Macmillan.

Dingman, S. L., W. F. Weeks, and Y.-C. Yen. 1968. The effects of thermal pollution on river ice conditions. *Water Resour. Res.* 4:347–62.

Doorenbos, J. and W. O. Pruitt. 1977. Guidelines for prediction crop water requirements. FAO Irrigation and Drainage Paper No. 24, 2d ed. Rome, Italy: U.N. Food and Agricultural Organization.

Dortignac, E.J. 1960. The Rio Puerco—past, present, and future. *NM Water Conserv. Proc.* 5:45–51.

Dragun, J. 1988. The soil chemistry of hazardous materials. Silver Spring, MD: The Hazardous Materials Control Research Institute.

Ducker, W. A., T. J. Senden, and R. M. Pashley. 1991. Direct measurement of colloidal forces using an atomic force microscope. *Nature* 353:239–41.

Dugas, W. A. 1990. Sap flow in stems. *Remot. Sens. Rev.* 5(1):225–35.

Dunham, R. J. and P. H. Nye. 1973. I. Soil water content gradients near a plane of onion roots. *J. Appl. Ecol.* 10:585–98.

Dwight, H. B. 1961. *Tables of integrals and other mathematical data*. 4th ed. New York: Macmillan Co.

Eckhardt, D. A. and R. J. Wagenet. 1996. Estimation of the potential for atrazine transport in a silt loam soil. ACS Symposium Series 630. 209th National Meeting of Amer. Chem. Soc. April 2–7, 1995. Washington, DC: Amer. Chem. Soc.

Edwards, W. M., J. J. Shipitalo, L. B. Owens, and L. D. Norton. 1990. Effect of *Lumbricus terrestris L.* burrows on hydrology of continuous no-till corn fields. *Geoderma* 46:73–84.

Ehlers, W. 1975. Observations on earthworm channels and infiltration on tilled and untilled loess soil. *Soil Sci.* 119:242–48.

Eichner, M. J. 1990. Nitrous oxide emission form fertilized soils: summary of available data. *J. Environ. Qual.* 19:272–80.

El-Kadi, A. I. 1983. INFIL: A Fortran IV program to calculate infiltration rate and amount, and water content profile at different times. FOS-20. Indianapolis, IN: International Ground Water Modeling Center, Holcomb Research Institute.

Elliott, H. A. 1986. Land application of municipal sewage sludge. *J. Soil Water Conserv.* 1:5–10.

Elrick, D. E. 1963. Unsaturated flow properties of soils. *Aust. J. Soil Res.* 1(1):1–8.

Emerson, C. J., B. Thomas, Jr., and R.J. Luxmoore. 1984. CADIL: Model documentation for chemical adsorption and degradation in land. ORNL/TM-8972. Oak Ridge, TN: Oak Ridge National Laboratory.

Emerson, E. W. 1959. The structure of soil crumbs. *J. Soil Sci.* 10:235.

Emerson, W. W. 1967. A classification of soil aggregates based on their coherence in water. *Aust. J. Soil Res.* 5:47–57.

Enfield, C. G. and G. Bengtsson. 1988. Macromolecular transport of hydrophobic contaminants in aqueous environments. *Ground Water* 26:64–70.

Enfield, C. G., G. Bengtsson, and R. Lindquist. 1989. Influence of macromolecules on chemical transport. *Environ. Sci. Tech.* 23:1278–86.

Enfield, C. G. and R. S. Kerr. 1990. Chemical transport facilitated by colloidal-sized organic molecules. *Hazardous Materials Control.* July/August:50–51.

Entekhabi, D., I. Rodriguez-Iturbe, and F. Castelli. 1996. Mutual interaction of soil moisture state and atmospheric processes. *J. Hydrol.* 184:3–17.

Environmental Science Service Administration (ESSA). 1983. *Climatic atlas of the United States*. Washington, DC: U.S. Department of Commerce.

Environmental Systems and Technologies, Inc. (ES&T) and International Ground Water Modeling Center (IGWMC). 1992. *Petroleum hydrocarbons and organic chemicals in groundwater: Practical models for site assessment and remediation*. A short course organized by ES&T, Inc., Blacksburg, Virginia and the IGWMC, Golden, Colorado. December 1–4. Orlando, Florida.

Environmental Systems & Technologies, Inc. (ES&T) and Hydrogaia, Inc. 1994. VADSAT: A Monte Carlo model for assessing the effects of land-disposed exploration and production wastes on groundwater quality, user and technical guide, Version 2.0. April. Prepared for the American Petroleum Institute, GW-23 Project.

Epstein, L. and G. R. Safir. 1982. Plant diseases associated with municipal wastewater irrigation. In Land treatment of municipal wastewater: Vegetation selection and management. Ann Arbor, MI: Ann Arbor Science.

Ericksson, E. 1971. Compartmental models and reservoir theory. *Annual Review of Ecological Systems* 2:67–84.

Esrig, M. I. and S. Majtenyi. 1965. *A feasibility study of electrokinetic processes for stabilization of soils for military mobility purposes: Report 2—An analysis of the electro-osmotic phenomenon in soil capillary systems*. Ithaca, NY: Cornell University.

Everett, D. H. 1972. Manual of symbols and terminology for physiochemical quantities and units. *Pure Applied Chem.* 31:577–638.

Falta, R. W., I. Javendel, K. Pruess, and P. A. Witherspoon. 1989. Density-driven flow of gas in the unsaturated zone due to the evaporation of volatile organic compounds. *Water Resour. Res.* 25(10):2159–69.

Farrell, D. A., E. L. Greacen, and C. G. Gurr. 1966. Vapor transfer in soil due to air turbulence. *Soil Sci.* 102:305–13.

Fayer, M. H. and G. W. Gee. 1985. UNSAT-H: An unsaturated soil water flow code for use at the Hanford site: Code documentation, PNL-5585. Richland, WA: Battelle Pacific Northwest Laboratory.

Feder, J. 1989. *Fractals*. New York: Plenum Press.

Federer, C. A. 1968. Radiation and snowmelt on a clearcut watershed. In *Proceedings of the Eastern Snow Conference*, 23–42.

Federer, C. A. and D. Lash. 1978. BROOK: A Hydrologic simulation model for eastern forests. Research Report No. 19. Durham, NH: University of New Hampshire Water Resources Research Center.

Fenn, D. G., K. J. Hanley, and T. V. DeGeare. 1975. Use of the water balance method for predicting leachate generation from solid waste disposal sites. EPA/530/SW-168. October. Washington, DC: U.S. Environmental Protection Agency.

Fiering, M. B. and B. B. Jackson. 1971. *Synthetic streamflows*. Water Resources Monograph 1. Washington, DC: American Geophysical Union.

Finlayson-Pitts, B. J. and J. N. Pitts. 1986. *Atmospheric chemistry: fundamentals and experimental techniques*. New York: John Wiley & Sons.

Firestone, M. K. and E. A. Davidson. 1989. Microbiological basis of NO and N_2O production and consumption in soil. In *Exchange of trace gases between terrestrial ecosystems and the atmosphere*, eds. M. O. Andreae and D. S. Schimel, 7–22. New York: John Wiley & Sons.

Fischer, H. B., E. List, R. C. Y. Koh, J. Imberger, and N. H. Brooks. 1979. *Mixing in inland and coastal waters*. New York: Academic Press.

FitzGerald, D. 1886. Evaporation. *Transactions of the American Society of Civil Engineers* 15:581–646.

Fleagle, R. G. and J. A. Businger. 1963. *An introduction to atmospheric physics*. New York: Academic Press.

Fluhler, H. and W. A. Jury. 1983. *Estimating solute transport using nonlinear, rate dependent, two-site adsorption models: An introduction to use explicit and implicit finite difference schemes*. Fortran Program Documentation, Report 245. Birmensdorf, Switzerland: Swiss Federal Institution of Forest Research.

Fokas, A. S. and Y. C. Yortsos. 1982. On the exactly solvable equation occurring in two-phase flow in porous media. *SIAM* 43:318–32.

Food and Agriculture Organization of the United Nations. 1985. *Fertilizer Yearbook*, vol. 35 FAO, Rome Italy.

Foster, R. J. 1969. *General geology.* Columbus, OH: Charles Merrill Publ.

Francis, R. E. 1986. *Phyto-edaphic communities of the Upper Rio Puerco Watershed, New Mexico.* USDA Forest Service Res. Paper RM-272. Fort Collins, CO: Rocky Mountain Forest and Range Exp. Stn.

Freeze, R. A. 1975. A stochastic conceptual analysis of one-dimensional groundwater flow in non-uniform homogeneous media. *Water Resour. Res.* 11:725–41.

———. and J. A. Cherry. 1979. *Groundwater.* Inc. Englewood Cliffs, NJ: Prentice Hall.

Frere, M. H. C. A. Onstad and H. N. Holtan. 1975. *ACTMO, An agricultural chemical transport model.* Washington, DC: U.S. Department of Agriculture, Agriculture Research Service, *ARS-H-3.*

Fresquez, P. R. Francis, R. E. and Dennis, G. L. 1988. Fungal communities associated with phytoedaphic communities in the semi-arid Southwest. *Arid Soil Res. Rehab.* 2:187–202.

Fried, J. J. and M. A. Combarnous. 1971. Dispersion in porous media. *Adv. Hydrosci.* 9:169–282.

Friedman, H. L. and C. V. Krishman. 1973. Aqueous solutions of simple electrolytes. In Water, vol 3. (ed. F. Franks, p. 55.) New York: Plenum Press.

Frissel, M. J. P. Poelstra, and P. Reiniger. 1970. Chromatographic transport through soils. III. A simulation model for the evaluation of the apparent diffusion coefficient in undisturbed soils with tritrated water. *Plant and Soil* 33:161–76.

Fritschen, L. J. and L. W. Gay. 1979. *Environmental instrumentation.* New York: Springer-Verlag.

Fritschen, L. J. and C. H. M. van Bavel. 1962. Energy balance components of evaporating surfaces in arid lands. *J. Geophys. Res.* 67:5179–85.

Gao, Z. T. Sun, and X. Qu, 1991. Studies on the land treatment irrigation system of municipal wastewater in Shengyang. *Water Science and Technology* 24:47–53.

Garcia, R. L., J. M. Norman, and D. K. McDermitt. 1990. Measurements of canopy gas exchange using an open chamber system. *Remot. Sens. Rev.* 5(1):141–62.

Gardner, W. 1919. Capillary moisture-holding capacity. *Soil Sci.* 7:319-24.

———. 1920. The capillary potential and its relation to soil-moisture constants. *Soil Sci.* 10:357–59.

———. 1955. Relation of temperature to moisture tension of soil. *Soil Sci.* 79:257–65.

Gardner, W., O. W. Israelsen, N. E. Edlefsen, and H. Clyde. 1922. The capillary potential function and its relation to irrigation practice. *Phys. Rev.* 20:196.

Gardner, W. and J. A. Widstoe. 1921. The movement of soil moisture. *Soil Sci.* 11:215–32.

———. H. R. 1974. Prediction of water loss from a fallow field soil based on soil water flow theory. *Soil Sci. Soc. Am. Proc.* 38:379–82.

Gardner, W. H. and C. Calissendorff. 1967. Gamma-ray and neutron attenuation in measurement of soil bulk density and water content. In *Symposium on use of isotope and radiation techniques in soil physics and irrigation studies.* Rome: Food and Agriculture Organization.

Gardner, W. H. 1986. Water content. In *Methods of Soil Analysis.* Part I, Physical and Mineralogical methods, 2d. ed. ed. Arnold Klute pp. 493–541. Monograph 9, Am. Soc. Agron., Madison, Wisconsin.

Gardner, W. R. 1956. Calculation of capillary conductivity from pressure plate outflow data. *Soil Sci. Soc. Amer. Proc.* 20:317–320.

———. 1958. Some steady-state solutions of the unsaturated moisture flow equation with application to evaporation from a water table. *Soil Sci.* 85(4):228–32.

———. 1959. Solutions of the flow equation for the drying of soils and other porous media. *Soil Sci. Soc. Amer. Proc.* 30:425–28.

Gardner, W. R. and D. I. Hillel. 1962. The relation of external evaporative conditions to the drying of soils. *J. Geophys. Res.* 67:4319–325.

———. and D. Kirkham. 1952. Determination of soil moisture by neutron scattering. *Soil Sci.* 73:391–401.

Gardner, W. R., D. Hillel, and Y. Benyamini. 1970a. Post-irrigation movement of soil water. 1. Redistribution. *Water Resour. Res.* 6(3):851–61.

———. 1970b, Post-irrigation movement of soil water. 2. Simultaneous Redistribution and Evaporation, *Water Resour. Res.* 6(4):1148–53.

Garratt, J. R. 1992. *The atmospheric boundary layer.* New York: Cambridge Univ. Press.

Garrels, R. M. and C. L. Christ. 1965. *Solutions, minerals and equilibria.* New York: Harper and Row.

Gates, D. M. 1980. *Biophysical ecology.* New York: Springer-Verlag.

Gay, L. W. 1972. On the construction and use of ceramic wick thermocouple psychrometers. In *Psychrometry in water relations research,* eds. R. W. Brown and B. P. van Haveren, pp. 253–58. Proc. Symp. on Thermocouple Psychrometers. Logan UT: Utah St. Univ., Utah Agric. Expt. Sta.

Geiger, R. 1965. *Climate near the ground.* London: Oxford Univ. Press.

Ghildyal, B. P. and R. P. Tripathi. 1987. *Soil phy.* New York: Halsted Press.

Gianessi, L. P. and C. Puffer. 1991. *Herbicide use in the United States.* Washington, DC: Resources for the Future, Quality of the Environment Division.

Gibbs, R. J. 1983. Effect of natural organic coatings on the coagulation of particles. *Environ. Sci. Technol.* 17:237–40.

Gibbs, R. J., M. D. Matthews, and D. A. Link. 1971. The relationship between sphere size and settling velocity. *J. Sed. Petrol.* 41:7–18.

Giddings. J. C. 1965. *Dynamics of chromatography.* Part 1. Principles and Theory. New York: Marcel Dekker.

Gill, W. R. 1979. Tillage. In *The Encyclopedia of Soil Science* Part 1. (R. W. Fairbridge and C. W., Finkl, Jr.) pp. 566–71. Stroudsburg, PA: Dowden, Hutchinson & Ross.

Gillham, R.W., E.A. Sudicky, J.A. Cherry, and E.O. Frind. 1984. An advection-diffusion concept for solute transport in heterogeneous unconsolidated geological deposits. *Water Resour. Res.* 20:369–78.

Gish, T. and A. Shirmohammadi. 1991. *Preferential flow.* St. Joseph, MI: American Society of Agricultural Engineers.

Glass, R. J., T. S. Steenhusi, and J. Y. Parlange. 1989. Mechanism for finger persistence in homogeneous, unsaturated, porous media: Theory and verification. *Soil Sci.* 148:60–70.

Glauber, J. R. Des Teutschlandts Wohlfart (Erster Theil), das dritte Capittel. De concentratione Vegetabilium, Miraculum Mundi. Amsterdam, 1656.

Goldberg, S. and H. S. Forster. 1990. Flocculation of reference clays and arid-zone soil clays. *Soil Sci. Soc. Am. J.* 54:714–18.

Goltz, M. N. 1986. Three-dimensional analytical modeling of diffusion-limited solute transport. Ph. D. Diss. Stanford University, Stanford, CA.

Goulding, K. W. T., B. W. Hutsch, C. P. Webser, T. W. Willison, and D. S. Powlson. 1995. The effect of agriculture on methane oxidation in soil. *Phil. Trans. Roy. Soc. Lond.* A 351:313–25.

Gouy, M. 1910. Sur la Constitution de La charge electrique a'la surface d'un electrolyte. *Jourdal de Physique.,* Series 4, 9:457–68.

Grable, A. R. 1966. Soil aeration and plant growth. *Adv. Agron.* 18:57–106.

Gray, D. M. and T. J. Prowse. 1993. "Chapter 7, Snow and Floating Ice," *In Handbook of Hydrology,* ed. D. R. Maidment. New York: McGraw-Hill, Inc.

Green, W. H. and G. A. Ampt. 1911. Studies on soil physics, Part I. Flow of air and water through soils. *J. Agr. Sci.* 4:1–24.

———. 1912. Studies on soil physics, Part II. Permeability of an ideal soil to air and water. *J. Agr. Sci.* 5:1–26.

Greenkorn, R. A. 1983. *Flow phenomena in porous media.* New York: Marcel Dekker, Inc.

Greenkorn, R. A. and D. P. Kessler. 1969. Dispersion in heterogeneous nonuniform anisotropic porous media. *Ind. Eng. Chem.* 61:14–32.

Greenland, D. J. 1977. Soil drainage by intensive arable cultivation: temporary or permanent? *Phil. Trans. Royal Soc.* London, B281:193–208.

Gregory, J. 1989. Fundamentals of flocculation. *Critical Reviews in Environmental Control* 19:185–230.

Grim, R. E. 1953. *Clay mineralogy.* New York: McGraw-Hill Book Company, Inc.

Grove, J. H., C. S. Fowler, and M. E. Sumner. 1982. Determination of the charge character of selected acid soils. *Soil Sci. Soc. Am. J.* 46:32–38.

Grygier, J. C. and J. R. Stedinger. 1990. *SPIGOT, a synthetic streamflow generation software package, technical description, version 2.5.* School of Civil and Environmental Engineering, Cornell University, Ithaca, New York.

Gschwend, P. M. 1990. Formation and mobilization of colloidal particles in contamination plumes. *Hazardous Materials Control* July/August:49.

Gschwend, P. M. and M. D. Reynolds. 1987. Monodisperse ferrous phosphatecolloids in an anoxic groundwater plume. *J. Contam. Hydrol.* 1:309–27.

Gschwend, P. M. and S. Wu. 1985. On the constancy of sediment-water partition coefficients of hydrophobic organic pollutants. *Environ. Sci. Technol.* 19:90–96.

Gupta, S. P. and R. A. Greenkorn. 1974. Determination of dispersion and nonlinear adsorption parameters for flow in porous media. *Water Resour. Res.* 10:839–46.

Gupta, V. K. and R. N. Bhattacharya. 1986. Solute dispersion in multidimensional periodic saturated porous media. *Water Resour. Res.* 22:156–64.

Guven, O. and F.J. Molz. 1986. Deterministic and stochastic analyses of dispersion in an unbounded stratified porous medium. *Water Resour. Res.* 22:1565–574.

Guven, O., R. W. Falta, F. J. Molz, and J. G. Melville. 1985. Analysis and interpretation of single well tracer tests in stratified aquifers. *Water Resour. Res.* 21:676–84.

Gvirtzman, H. and M. Margaritz. 1986. Investigation of water movement in the unsaturated zone under an irrigated area using environmental tritium. *Water Resour. Res.* 22:635–42.

Hachum, A. Y. and J. F. Alfaro. 1980. Rain infiltration into layered soils: Prediction. *Journal of Irrigation and Drainage Engineering* 106:311–21.

Hagedorn, C., E. L. McCoy and T. M. Rahe. 1981. The potential for groundwater contamination from septic effluents. *J. Environ. Qual.* 10:1–8.

Hagen, G. H. L. 1839. Ueber die bewegung des wassers in engen cylindrischen rohren. *Poggend. Annal.* 46:423–42.

Hayduk, W. and H. Laudie. 1974. Prediction of diffusion coefficients for non-electrolysis in dilute aqueous solutions. *AIChE J.* 20:611–15.

Haith, D. A. 1983. Planning model for land application of sewage sludge. *J. Env. Eng.* 109:66–69.

Haith, D. A., J. E. Reynolds, P. T. Landre, and T. L. Richard. 1992. Sludge loading rates for forest land. *J. Env. Eng.* 118:196–202.

Hance, R. J. 1969. An empirical relationship between chemical structure and the sorption of some herbicides by soils. *J. Agric. Food Chem.* 17:667–68.

Harbeck, G. E., Jr. et al. 1954. *Water-loss investigations, Vol. 1, Lake Hefner studies, technical report.* Washington, DC: U.S. Geological Survey Professional Paper 269.

Harbeck, G. E., Jr., M. A. Kohler, and G. E. Koberg. 1958. *Water-loss investigations, Lake Mead studies,* Washington, DC: U.S. Geological Survey Professional Paper, 298.

Harvey, R. W., L. H. George, R. L. Smith, and D. R. LeBlanc. 1989. Transport of microspheres and indigenous bacteria through a sandy aquifer: Results of natural and forced gradient tracer experiments. *Environ. Sci. Tech.* 23:51–56.

Hausenbuiller, R. L. 1978. *Soil science: Principles and practices*. Dubuque, IA: William C. Brown.

Hayes, M. H. B. and R. S. Swift. 1978. The chemistry of soil organic colloids. In The chemistry of soil constituents. eds. D. J. Greenland and M. H. B. Hayes 179–320, New York: John Wiley and Sons.

———. 1981. Organic colloids and organo-mineral associations. *Bull. Internl. Soc. Soil Sci.* 60:67–74.

Healy, R. W. 1990. *Simulation of solute transport in variably saturated porous media with supplemental information on modifications to the U.S. Geological Survey's computer program VS2D.* U.S. Geological Survey Water-Resources Investigations Report 90-4025. Washington, DC: U.S. Government Printing Office.

Healy, R. W., R. G. Striegl, T. F. Russell, G. L. Hutchinson, and G. P. Livingston. 1996. Numerical evaluation of static-chamber measurements of soil-atmosphere gas exchange: Identification of physical processes. *Soil Sci. Soc. Amer. J.* 60:740–47.

Helfferich, F. 1962. *Ion exchange.* New York: McGraw-Hill.

Helmholtz von, H. 1879. Studien uber elektrische grenzschichten. *Annalen der Physik und Chemie, Neue Folge Band VII,* No. 7, Wiedemann 7, p. 337.

Herron, J. T., W. A. Berg and H. P. Harbert III. 1980. Vegetation and lysimeter studies on decarbonized oil shale, technical bulletin 136. Fort Collins, CO, Colorado State University Experiment Station.

Higuchi, T., K. Yoda, and K. Tensho. 1984. Further evidence for gaseous CO_2 transport in relation to root uptake of CO_2 in rice plant. *Soil Sci. Plant Nutr.* 30(2): 125–36.

Hilgard, W. W. 1906 (1921 ed.). Soils, their formation, properties, composition, and relations to climate and plant growth in the humid and arid regions. New York: The Macmillan Co.

Hill, D. E. and J. Y. Parlange. 1972. Wetting front instability in layered soils. *Soil Sci. Soc. Am. J.* 36:697–702.

Hill, T. L. 1986. *An introduction to statistical thermodynamics.* New York: Dover Publications.

Hillel, D. 1971. *Soil and water, physical principles and processes.* New York: Academic Press.

———. 1980. *Applications of soil physics.* New York: Academic Press.

Hillel, D. and R. S. Baker. 1988. A descriptive theory of fingering during infiltration into layered soils. *Soil Sci.* 146:51–56.

Hillel, D. and J. Mottes. 1966. Effect of plate impedance, wetting method and aging on soil moisture retention. *Soil Sci.* 102:135–40.

Hillel, D. and W. R. Gardner. 1970a. Transient infiltration into crust-topped profiles. *Soil Sci.* 109:69–70.

———. 1970b. Measurement of unsaturated conductivity and diffusivity by infiltration through an impeding layer. *Soil Sci.* 109:149–53.

Hillel, Daniel and David E. Elrick, eds. 1990. *Scaling in soil physics: principles and applications*. Soil Sci. Soc. Am. Special Publication Number 25.

Hoffman, M. R., E. C. Yost, S. J. Eisenreich, and W. J. Maier. 1981. Characterization of soluble and colloidal-phase metal complexes in river water by ultrafiltration: A mass-balance approach. *Environ. Sci. Technol.* 15:655–61.

Hohn, M. E. 1988. *Geostatistics and petroleum geology.* New York: Van Nostrand Reinhold.

Holtan, H. N. 1961. *A concept for infiltration estimates in watershed engineering.* U.S. Department of Agriculture Bulletin 41–51. Washington, DC: U.S. Department of Agriculture.

Holtan, H. N., C. B. England, G. P. Lawless and G. A. Schumaker. 1968. *Moisture tension data for selected soils on experimental watersheds.* Publication RS41–144. Washington, DC: U.S. Department of Agriculture.

Holtan, H. N., G. J. Stiltner, W. H. Henson and N.C. Lopez. 1975. *USDAHL-74 revised model of watershed hydrology.* Agricultural Research Service Technical Bulletin 1518. Washington, DC: U.S. Department of Agriculture.

Honig, E. P. and P. M. Mul. 1971. Tables and equations of the double layer repulsion at constant potential and at constant charge. *J. Colloid Interface Sci.* 36:258–72.

Hopmans, J. W. 1987. A comparison of various methods to scale soil hydraulic properties. *J. Hydro.* 93:241–56.

Horton, R. E. 1917. A new evaporation formula developed. *Engineering News-Record* 78(4):196–99.

———. 1939. Analysis of runoff-plot experiments with varying infiltration-capacity. *Transactions American Geophysical Union* 20:693–711.

———. 1940. An approach toward a physical interpretation of infiltration capacity. *Soil Science Society of America Proceedings.* 5:399–417.

Houghton, R. A. 1995. Land-use change and the carbon cycle. *Glob. Chng. Biol.* 1:275–87.

Howard, P. H. 1991. *Handbook of environmental fate and exposure data for organic chemicals,* vol. 2: *Solvents.* Chelsea, MI: Lewis Publishers.

Hunter, R. J. and A. E. Alexander. 1963. Surface properties and flow behavior of kaolinite. Part I. Electrophoretic mobility and stability of kaolinite soils. *J. Colloid Sci.* 18:820–32.

Hurst, H. E. 1951. Long-term storage capacity of reservoirs. *Trans. Am. Soc. Civ. Eng.* 116:770–808.

Huyakorn, P. S., J. B. Kool, and Y.S. Wu. *VAM2D-Variably saturated analysis model in two dimensions: version 5.2 with hysteresis and chained decay transport, documentation and user's guide.* NUREG/CR-5352. Washington, DC: U.S. Nuclear Regulatory Commission.

Huyakorn, P. S. and G. F. Pinder. 1983. *Computational methods in subsurface flow.* New York: Academic Press.

Huyakorn, P. S. and T. D. Wadsworth. 1985. FLAMINCO: *A Three-Dimensional Finite Element Code for Analyzing Water Flow and Solute Transport in Saturated-Unsaturated Porous Media.* Technical Report for the U.S. Department of Agriculture, Northwest Watershed Research Center, Boise, Idaho. Sterling, Virginia: GeoTrans, Inc.

Idso, S. B., J. K. Asae, and R. D. Jackson. 1975. Net radiation— Soil heat flux relations as influenced by soil water content variations. *Bound. Lay. Meteorol.* 9:113–22.

Israelachvili, J. N. and G. E. Adams. 1978. Measurement of forces between two mica surfaces in aqueous electrolyte solutions in the range 0–100nm. *J. Chem. Soc., Faraday Trans. 1,* 74:975–1001.

Israelachvili, J. N. and D. Tabor. 1972. The treatment of van der Waals dispersion forces in the range of 1.5 to 130 nm. *Proc. Royal Soc.* London. A331:19–38.

Istok, J. 1989. Groundwater modeling by the finite element method, AGU water resources monograph 13. Washington, DC: American Geophysical Union.

Jackson, R. D., B. A. Kimball, R. J. Reginato, and F. S. Nakayama. 1973. Diurnal soil-water evaporation: Time-depth flux patterns. *Soil Sci. Soc. Am. Proc.* 37: 505–509.

Jacob, C. E. 1940. On the flow of water in an elastic artesian aquifer. *Trans. Amer. Geophys. Union.* 2:574–86.

Jamison, V. C. 1945. The penetration of irrigation and rain water into sandy soils in central Florida. *Soil Sci. Soc. Am. Proc.* 10:25–29.

Janert, H. 1934. The application of heat of wetting measurements to soil research problems. *J. Agric. Sci.* 24:136–50.

Jardine, P. M., N. L. Weber, and J. F. McCarthy. 1989. Mechanisms of dissolved organic carbon adsorption on soil. *Soil Sci. Soc.* Am. J. 53:1378–85.

Jardine, P. M., N. Weber, and J. F. McCarthy. 1990. Chemical and hydrologic factors controlling the transport of organic colloids. *Hazardous Materials Control.* July/August:44–46.

Jarvis, Nicholas. 1994. *The MACRO model (version 3.1): Technical description and sample simulations.* Department of Soil Science Reports and Dissertations, No. 19. Uppsala: Swedish University of Agricultural Sciences.

Jarvis, P. G., G. B. James, and J. J. Landsberg. 1976. Coniferous forests. In *Vegetation and the Atmosphere,* Vol. 2. (ed. J. L. Montieth), 171–240. New York: Academic Press.

Javendel, I., C. Doughty and C. F. Tsang. 1984. Groundwater transport: Handbook of mathematical models, AGU water resources monograph No. 10. Washington, DC: American Geophysical Union.

Jekel, M. R. 1986. The stabilization of dispersed mineral particles by adsorption of humic substances. *Water Res.* 20:1543–54.

Jenne, E. A. 1968. "Controls on Mn, Fe, Co, Ni, Cu, and Zn concentrations in soils and water: the significant role of hydrous Mn and Fe oxides." In *Trace Inorganics in Water,* ed. R. F. Gould. *Adv. Chem. Ser.* 73:337–387. Washington, DC: ACS.

Jennings, A. A., D. J. Kirkner, and T. L. Theis. 1982. Multicomponent equilibrium chemistry in groundwater quality models. *Water Resour. Res.* 18:1089–1096.

Jennings, G. D. and D. L. Martin. 1990. Solute leaching due to chemigation. In *Visions of the future*. St. Joseph, MI: ASAE Publications, Amer. Soc. Ag. Engineers.

Jenny, H. and G. D. Smith. 1935. Colloid chemical aspects of clay pan formation in soil profiles. *Soil Sci.* 39:377–89.

Jensen, M. E., R. D. Burman, and R. G. Allen. 1990. Evapotranspiration and irrigation water requirements. ASCE Manuals and Reports on Engineering Practice No. 70. New York: *Amer. Soc. Civil Eng.*

Jensen, M. E. and H. R. Haise. 1963. Estimating evapotranspiration from solar radiation. *Journal of the Irrigation and Drainage Division,* ASCE 89:15–41.

Jensen, M. E., J. L. Wright and B. J. Pratt. 1971. Estimating soil moisture depletion from climate, crop, and soil data, transactions. *ASAE* 14:954–59.

Johnson, W. M. and J. E. McClelland. 1960. Classification and description of soil pores. *Soil Sci.* 89:319–21.

Johnson, P. C., M. W. Kemblowski and J. C. Colthart. 1991b. Quantitative analysis for the cleanup of hydrocarbon contaminated soils, by in situ soil venting. *Ground Water* 28(3):413–29.

Johnson, P. C., C. C. Stanley, M. W. Kemblowski, D. D. Byers, and J. C. Colthart. 1990a. A practical approach to design, operation, and monitoring of in situ soil-venting systems. *Groundwater Monitoring Review* (Spring):159–77.

Jones, K. C., J. A. Stratford, K. S. Waterhouse, and N.B. Vogt. 1989. Organic compounds in Welsh soils: polynuclear aromatic hydrocarbons. *Environ. Sci. and Tech.* 23:540–50.

Jongerius, A. 1957. Morphological investigations of soil structure. Bedomkundige studiea, no. 2. Wageningen, Denmark: Meded van der Stickting Bodenkartiering.

Journel, A. G. and C.J. Huijbregts. 1978. *Mining geostatistics.* New York: Academic Press.

Jump, R. and B. R. Sabey. 1983. *Field studies on Union Oil Company Process B decarbonized retorted oil shales—valley site.* Department of Agronomy, Colorado State University, Fort Collins, CO. June.

Jurinak, J. J. 1963. Multilayer adsorption of water by kaolinite. *Soil Sci. Soc. Am. Proc.* 27:269–72.

Jury, W. A. 1982. Simulation of solute transport using a transfer function model. *Water Resour. Res.* 18:363–68.

———. 1986. Volatilization from soil. In *Vadose Zone Modeling of Organic Pollutants,* eds. S. C. Hern and S. M. Melancon, 159–76. Chelsea, MI: Lewis Publishers, Inc.

Jury, W. A., H. Elabd, and M. Resketo. 1986. Field study of napropamide movement through unsaturated soil. *Water Resour. Res.* 22:749–55.

Jury, W. A., W. R. Gardner and W. H. Gardner. 1991. *Soil physics.* 5th ed. New York: John Wiley & Sons.

Jury, W. A., W. R. Gardner, P. G. Saffigna and C. B. Tanner. 1976. Model for predicting simultaneous movement of nitrate and water through a loamy sand. *Soil Sci.* 122:36–43.

Jury, W. A., J. Letey, and T. Collins. 1982. Analysis of chamber methods used for measuring nitrous oxide production in the field. *Soil Sci. Soc. Amer. J.* 46:250–56.

Jury, W. A., David Russo, and Garrison Sposito. 1987. II. Scaling models of water transport. *Hilgardia* 55:33–57.

Jury, W. A. and K. Roth. 1990. *Transfer Functions and Solute Movement through Soil, Theory and Applications.* Basel, Switzerland: Birkhäuser Verlag.

Jury, W. A., L. A. Stolzy and P. Shouse. 1982. A field test of the transfer function model for predicting solute transport. *Water Resour. Res.* 18:369–375.

Kallay, N. E. Barouch and E. Matijevic. 1987. Diffusional detachment of colloidal particles from solid/solution interfaces. *Adv. Colloid Interface Sci.* 27:1–42.

Kalma, J. D. 1970. Some aspects of the water balance of an irrigated orange plantation. Ph.D. thesis, Volcani Institute Agric. Res., Bet Dagan, Israel.

Kan, A. T. and M. B. Tomason. 1990. Groundwater transport of hydrophobic organic compounds in the presence of dissolved organic matter. *Environ. Toxicol. Chem.* 9:253–63.

Karickhoff, S. W. 1981. Semi-empirical estimation of sorption of hydrophobic pollutants on natural sediments and soils. *Chemosphere* 10:833–46.

Karickhoff, S. W., D. S. Brown, and T. A. Scott. 1979. Sorption of hydrophobic pollutants on natural sediments. *Water Res.* 13:241–48.

Kashkuli, H. A. 1981. A numerical linked model for the prediction of the decline of groundwater mounds developed under recharge. Ph.D. thesis, Department of Civil Engineering, Colorado State University, Fort Collins, CO.

Kaspar, T. C., D. G. Wooley, and H. M. Taylor. 1981. Temperature effect on the inclination of lateral roots of soybeans. *Agron. J.* 73:383–85.

Katz, D. L., D. Cornell, R. Kobayashi, F. Poettmann, J. A. Vary, J. R. Elenbaas, and C. F. Weinaug. 1959. Handbook of natural gas engineering. New York: McGraw-Hill.

Kaufman, S. S. and D. A. Haith. 1986. Probabilistic analysis of sludge land application. *J. Env. Eng.* 112:1041–1045.

Kayser, R. 1988. Use of biologically treated wastewater together with excess sludge for irrigation. In *Treatment and use of sewage effluent for irrigation.* London: Butterworths.

Kazo, B. and L. Gruber. 1962. The investigation of microsolifluxion with the aid of tagged isotopes. *Int. Assoc. Sci. Hydrol. Publ. 59 Symp. Bari.* 62–6.

Keen, B. A. 1926. The physicist in agriculture with special reference to soil problems (with introduction by Sir Daniel Hall). *Physics in Industry* 4:27.

Keen, B. A. 1931. *The physical properties of the soil.* London: Longmans, Green and Co.

Keen, B. A. and E. J. Russell. 1921. The factors determining soil temperature. *J. Arg. Sci.* 11:211–39.

Keeney, D. R., 1982. Nitrogen management for maximum efficiency and minimum pollution. In *Nitrogen in agricultural soils,* Agronomy monograph 22, ed. F. J. Stevenson, 605–98. Madison, WI: American Society of Agronomy.

Kellog, C. E. 1938. *Soil and society.* In USDA Yearbook of Agriculture, ed. H. G. Knight. Washington, DC: U.S. Government Printing Office.

Kenaga, E. E. and C. A. I. Goring. 1980. *Relationship between water solubility, soil sorption, octanol-water partitioning, and bioconcentration of chemicals in biota.* American Society for Testing and Materials, Third Aquatic Toxicology Symposium, October 17–18, New Orleans, LA. Philadelphia, PA: ASTM, Special Technical Publication (STP) 707.

Khaleel, R., K. R. Reddy, and M. R. Overcash. 1981. Changes in soil physical properties due to organic waste applications: A review. *J. Environ. Qual.* 10:133–41.

Khaleel, R. and T.-C. Yeh. 1985. A galerkin finite element program for simulating unsaturated flow in porous media. *Ground Water* 23(1):90–96.

Kia, S. F., H. S. Fogler, and M.G. Reed. 1987. Effect of pH on colloidally induced fines migration. *J. Colloid Interface Sci.* 118:158–168.

Kilkelly, K. M. 1981. *Field studies on Union Oil Company Process B and decarbonized retorted oil shale, 1979–1980.* Colorado State University, Department of Agronomy, Disturbed Lands Research. July.

Kimball, B. A. 1983. Canopy gas exchange: Gas exchange with soil, In *Limitations to efficient water use in crop production.* Madison, WI: Amer. Soc. of Agron.

Kimball, B. A. and R. D. Jackson. 1971. Seasonal effects on soil drying after irrigation: Hydrology and water resources of Arizona and the South-West. *Proc. Ariz. Soc., Amer. Water Resour. Assn. and the Hydrol. Sec. Ariz. Acad. Sci.* 1:85–98.

Kimball, B. A. and E. R. Lemon. 1971. Air turbulence effects upon soil gas exchange. *Soil Sci. Soc. Amer. Proc.* 35:16–21.

Kirda, C., D. R. Nielsen, and J.W. Biggar. 1973. Simultaneous transport of chloride and water during infiltration. *Soil Sci. Soc. Amer. Proc.* 37:339–45.

———. 1974. The combined effects of infiltration and redistribution of leaching. *Soil Sci.* 117:323–30.

Kirkby, L. J. 1984. *Radionuclide distributions and migration mechanisms at shallow land burial sites.* NUREG/CR-3607. Washington, DC: U.S. Nuclear Regulatory Commision.

Kirkby, M. J. 1988. Hillslope runoff processes and models. *Journal of Hydrology* 100:315–39.

Kirkham, D. 1961. Soil physics: 1936–61 and a look ahead. *Soil Sci. Soc. Am. Proc.* 25:423–27.

Kirkham, D. 1971. Problems and trends in drainage research, mixed boundary conditions. *Soil Sci.* 113:285–93.

Kirkner, D. J., A. A. Jennings, and T. L. Theis. 1985. Multisolute mass transport with chemical interaction kinetics. *J. Hydrol.* 76:107–117.

Klinkenberg, L. J. 1941. The permeability of porous media to liquids and gases. In *Drilling and Production Practice,* pp. 200–213. New York: Amer. Petrol. Inst.

Klute, A. 1952a. A numerical method for solving the flow equation for water in unsaturated materials. *Soil Sci.* 73:105–116.

———. 1952b. Some theoretical aspects of the flow of water in unsaturated soils. *Soil Sci. Soc. Am. Proc.* 16:144–48.

———. 1972. The determination of the hydraulic conductivity and diffusivity of unsaturated soils. *Soil Sci.* 113:264–76.

———. 1986. *Methods of soil analysis part I: Physical and mineralogical methods,* monograph #9. Madison WI: Soil Science Society of America.

Klute, A. and L. A. Richards. 1962. Effect of temperature on relative vapor pressure of water in soil. Apparatus and preliminary measurements. *Soil Sci.* 93:391–97.

Knudtsen, K. and G. A. O'Connor. 1987. Characterization of iron and zinc in Albuquerque sewage sludge. *J. Environ. Qual.* 16:85–90.

Kohler, M. A., T. J. Nordenson and W. E. Fox. 1955. *Evaporation from pans and lakes.* Research Paper 38. Washington, DC: U.S. Weather Bureau.

Kohnke, H. 1968. *Soil physics*. New York: McGraw-Hill.

Kolpin, D. W. and E. M. Thurman. 1993. *Postflood occurrence of selected agricultural chemicals and volatile organic compounds in near-surface unconsolidated aquifers in the upper Mississippi River Basin, 1993.* U.S. Geological Survey Circular 1120-G. Washington, DC: U.S. Government Printing Office.

Korfiatis, G. P. 1984. Modeling the moisture transport through solid waste landfills. Ph.D. Thesis. Rutgers, The State University of New Jersey, New Brunswick, NJ.

Kostiakov, A. N. 1932. On the dynamics of the coefficient of water-percolation in soils and on the necessity of studying it from a dynamic point of view for purposes of amelioration. *Trans. of the Sixth Comm. of the Int. Soc. of Soil Sci.,* Part A, pp. 17–31.

Kowal, N. E., H. R. Pahren, and E. W. Akin. 1981. Microbiological health effects associated with the use of municipal wastewater for irrigation. In *Municipal Wastewater in Agriculture.* New York: Academic Press.

Kozeny, J. 1927. Uber Kapillare Leitung des Wassers im Boden, Sitzungsber. *Akad. Wiss. Wien* 136:271–306.

Krahn, J., D. G. Fredlund, L. Lam and S. L. Barbour. 1989. PC-SEEP: A finite element program for modeling seepage, Geo-Slope Programming, Ltd., Calgary, Alberta, Canada.

Kramer, P. J. and J. S. Boyer. 1995. *Water relations of plants and soils.* New York: Academic Press.

Kramer, S. N. 1958. *History Begins at Sumer.* New York: Doubleday.

———. 1963. *The Sumerians, their history, culture, and character.* Chicago Univ. Chicago Press.

Kraner, H. W., G. L. Schroeder and R. D. Evans. 1964. Measurements of the effects of atmospheric variables on Radon-222 flux and soil-gas concentrations. In *The Natural Radiation Environment,* eds. J. A. S. Adams and W. M. Lowder, 191–215. Univ. of Chicago Press: William Marsh Rice Univ.

Kumada, K. 1987. *Chemistry of soil organic matter. Developments in soil science 17.* Japan Scientific Societies Press. Tokyo: Elsevier.

Kunkel, J. R. and R. B. Murphy. 1983. Water balance estimates of the reclamation zone of a retorted oil-shale disposal pile, paper no. 83–2504. American Society of Agricultural Engineers, 1983 Winter Meeting, Chicago, Illinois, December 13–16, 1983.

Lai, S. H. and J. J. Jurniak. 1971. Numerical approximation of cation exchange in miscible displacement through soil columns. *Soil Sci. Soc. Amer. Proc.* 35:894–99.

Lai, S. H. and J. J. Jurinak. 1972. Cation adsorption in one-dimensional flow through soils: A numerical solution. *Water Resour. Res.* 8:99–107.

Lal, R., N. R. Fansey, and D. J. Eckert. 1995. Land-use and soil management effects of emissions of radiatively active gases from two soils in Ohio. In *Soil management and the greenhouse effect,* eds. R. Lal, J. Kimble, E. Levine, and B. A. Stewart, 41–59. Boca Raton, FL: Lewis Publishers.

Laliberte, G. E. 1969, A mathematical function for describing capillary pressure-desaturation data. *Bulletin of the International Association of Scientific Hydrology (IASH)* 14:2.

Laliberte, G. E., A. T. Corey, and R. H. Brooks. 1966. Properties of unsaturated porous media, hydrology report no. 17. Colorado State University, Fort Collins, CO.

Landon, J. R., ed. 1984. *Booker tropical soil manual.* London Booker Agric. Int. Ltd.

Lane, W. L. 1991. Synthetic streamflows for global climate change, USGS open file report 91–244. Proceedings of the US-PRC Bilateral Symposium on Droughts and Arid Region Hydrology, September 16–20, Tucson, AZ.

Lane, W. L. and D. K. Frevert. 1990. *Applied Stochastic Techniques.* Personal computer version 5.2, user's manual. Denver, CO: U.S. Bureau of Reclamation.

Lapidus, L. and N. R. Amundson. 1952. Mathematics of adsorption in beds. VI. The effect of longitudinal diffusion in ion exchange and chromatographic columns. *J. Phys. Chem.* 56:984–88.

LaRocque, A. 1957. The admirable discourses of Bernard Palissy (with biographical introduction). Urbana: Univ. Illinois Press.

Lau, L. S. 1981. *Wastewater use for irrigation: A case history in Hawaii.* In *Collected reprints,* volume v: 1978–1981, 302–312. June 1984. Honolulu, HI: Water Resources Research Center.

Lauren, J. G., Wagenet, R. J. Bouma, J. and Wosten, J. H. M. 1988. Variability of saturated hydraulic conductivity in a Glossaquic Hapludalf with macropores. *Soil Sci.* 145:20–28.

Lavy, T. L. 1977. Herbicide transport in soil under center pivot irrigation systems. PB-270 777. Springfield, VA: National Technical Information Service.

Lawes, J. B., H. H. Gilbert, and R. Warington. 1882. On the amount and composition of the rain and drainage water collected at Rothamstead. London: Williams Clowes and Sons, Ltd. Originally published in *J. Royal Agr. Soc. Of England XVII*(1881):241–79, 311–50; XVIII(1882):1–71.

Lawrence Livermore National Laboratory (LLNL). 1990. *CERCLA feasibility study for the LLNL Livermore site.* Environmental Protection, Environmental Restoration Series, UCRL-AR-104040, Draft Final, Appendix G. Livermore, CA.

Lawrence Livermore National Laboratory (LLNL). 1995. *Recommendations to improve the cleanup process for California's leaking underground fuel tanks (LUFTs).* UCRL-AR-121762. Livermore, CA.

Lee, J., M. M. Mortland, C. T. Chiou, and S. A. Boyd. 1989. Shape selective adsorption of aromatic molecules from water by tetramethylammonium-smectite. *J. Chem. Soc. Faraday. Trans.* 85:2953–62.

Lee, L. S., P. S. C. Rao, M. L. Brusseau, and R. A. Ogwada. 1988. Nonequilibrium sorption of organic contaminants during flow through columns of aquifer materials. *Environ. Toxicology Chem.* 7:799–803.

Lee, Y. W. and M. Fl. Dahab. 1992. Nitrate risk management under uncertainty. *J. Water Resources, Planning, and Management* 118:151–65.

Leenheer, J. A. and H. A. Stuber. 1981. Migration through soil of organic solutes in an oil-shale process water. *Environ. Sci. Technol.* 15:1467–75.

Leij, F. J., W. B. Russell, and S. M. Lesch. 1997. Closed-form expressions for water retention and conductivity data. *Ground Water* 35(5):848–58.

Lemon, E. R. 1962. Soil aeration and plant relations. I. Theory. *Agron. J.* 54:176–80.

Lemon, E., and C. C. Wiegand. 1962. Soil aeration and plant root relations. II. Root respiration. *Agron. J.* 54:171–75.

Lenhard, R. J. and J. C. Parker. 1987. Measurement and prediction of saturation-pressure relationships in air-organic liquid-water porous media systems. *Journal of Contaminant Hydrology* 1(4):395–406.

Leverett, M. C. 1941. Capillary behavior of porous solids, transactions. *Society of Petroleum Engineers of AIME* 142:152–69.

Leyton, L. 1978. *Some thermodynamic concepts of water movement. Fluid behavior in biological systems.* New York: Oxford Univ. Press.

Li, R-M. K. G. Eggert, and K. Zachmann. 1983. Parallel processor algorithm for solving three-dimensional ground water flow equations. Washington, DC: National Science Foundation.

Lide, D.R. 1992. *CRC handbook of chemistry and physics.* Boca Raton, FL: CRC Press.

Lindstrom, F. T. 1976. Pulse dispersion of trace chemical concentrations in a saturated sorbing porous medium. *Water Resour. Res.* 12:229–38.

Lindstrom, F. T., R. Hague, V. H. Freed, and L. Boersma. 1967. Theory on the movement of some herbicides in soils: linear diffusion and convection of chemicals in soils. *Environ. Sci. Technol.* 1:561–65.

Lindstrom, F. T., D. E. Garfield and L. Boersma. 1988. *CTSPAC: Mathematical model for coupled transport of water, solutes, and heat in the soil-plant-atmosphere continuum, EPA/600/3-88/030,* Corvallis, OR: U.S. Environmental Protection Agency, Environmental Research Laboratory.

Lindzen, R. S. 1990. Some coolness concerning global warming. *Bulletin Amer. Meteorol. Soc.* 71:288–99.

Loman, D. O. and A. W. Warrick. 1978. Linearized moisture flow with loss at the soil surface. *Soil Science Society of America Journal* 42:396–99.

Looney, B. B., M. E. Newman, and A.W. Elzerman. 1990. Colloid facilitated transport in groundwater: Laboratory and field studies. *Hazardous Materials Control* (July/August):47–49.

López-Bakovic, I. L. and J. L. Nieber. 1989. Analytic steady-state solution to one-dimensional unsaturated water flow in layered soils. In *Unsaturated Flow in Hydrologic Modeling, Theory and Practice.* Proceedings of the NATO Advanced Research Workshop on Unsaturated Flow in Hydrologic Modeling Theory and Practice, Arles, France, 13–17 June 1988, ed. H. J. Movel-Seytoux, 471–80. Kluwer Academic Publishers.

Loskot, C. L., J. P. Rousseau, and M. A. Kurzmack. 1994. Evaluation of a 6-wire thermocouple psychrometer for determination of in-situ water potentials, pp. 2084–2091. Proceedings High-Level Radioactive Waste Management, Fifth Intnl. Conf., Las Vegas, NV., May 22–26.

Low, P. F. 1979. Nature and properties of water in montmorillonite. *Soil Sci. Soc. Am. J.* 43:651–58.

Lowham, H. W. 1976. Techniques for estimating flow characteristics of Wyoming streams, Geological Survey Water-Resources Investigations 76–112. Prepared in Cooperation with the Wyoming Highway Department, November, 83 p.

Luxmoore, R. J. 1981. Micro-, meso-, and macroporosity of soil. *Soil Sci. Soc. Am. J.* 45:671–72.

Lyklema, J. 1978. Surface chemistry of colloids in connection with stability. In *The scientific basis of flocculation.* ed. K. J. Ives, 3–36. The Netherlands: Sijthoff and Noordhoff.

Lyman, W. J., F. R. William, and D. H. Rosenblatt. 1990. *Handbook of chemical property estimation methods.* Washington, DC: Amer. Chem. Soc.

MacCracken, M.C. and F.M Luther, eds. 1985. Detecting the climatic effects of increasing carbon dioxide. Report DOE/ER 0235. U.S. Dept. Energy, Wash., DC.

Mackay, D. and W. Shui. 1981. A critical review of Henry's law constants for chemicals of environmental interests. *J. Phys. Chem. Ref. Data* 10(4):1175–99.

Magnusson, T. 1992. Studies of soil atmosphere and related physical site characteristics in mineral forest soils. *J. Soil Sci.* 43:767–90.

Male, D. H. and D. M. Gray. 1981. *Snowcover ablation and runoff.* In: *Handbook of Snow,* eds. D.H. Male and D.M. Gray. New York: Pergamon Press.

Mandelbrot, B. B. 1982. *The fractal geometry of nature.* New York: W. H. Freeman.

Mandelbrot, B. B. 1984. Fractals in physics: squig clusters, diffusions, fractal measures, and the unicity of fractal dimensionality. *J. Stst. Phys.* 34:895–930.

———. 1985. Self-affine fractals and the fracal dimension. *Physica Scripta* 32: 257–60.

Marencik, J. 1991. State-by-state summary of cleanup standards. *Soils* (November-December 1991). 14–16, 18–23, 48–51.

Marle, C., P. Simandoux, J. Pacsirsky, and C. Gaulier. 1967. Etude du deplacement de fluides miscibles en milieu poreux stratifiei. *Rev. Inst. Fr. Petrol.* 22:272–94.

Marshall, C. E. 1964. *The physical chemistry and mineralogy of soils.* New York: John Wiley & Sons.

Marshall, T. J. 1958. A relation between permeability and size distribution of pores. *J. Soil Sci.* 9:1–8.

Marshall, T. J. and J. W. Holmes. 1979. *Soil physics.* New York: Cambridge Univ. Press.

Martin, T. L. 1921. *Decomposition of green manure at different stages of growth.* New York (Cornell) Agr. Exp. Sta. Bul. 406.

———. 1925. Effect of straw on accumulation of nitrates and crop growth. *Soil Sci.* 20:159–164.

Martinez, M. J. 1985. FEMTRAN—A finite element computer program for simulating radionuclide transport thorough porous media, SAND84-0747. Albuquerque, NM: Sandia National Laboratory.

Masch, F. D. 1984. *Hydrology, Federal Highway Administration hydrologic engineering circular no. 19.* Washington, DC: U.S. Department of Transportation.

Mason, E. A. and A. P. Malinauskas. 1983. *Gas transport in porous media: The dusty-gas model.* Chem. Eng. Monogr. #17. New York: Elsevier.

Mason, E. A., A. P. Malinauskas, and R.B. Evans, III. 1967. Flow and diffusion of gases in porous media. *J. Chem. Phys.* 46:3199–216.

Massman, J. and D.F. Farrier. 1992. Effects of atmospheric pressures on gas transport in the vadose zone. *Water Resour. Res.* 28(3):777–91.

Mathur, S.P., and R.S. Farnham. 1985. Geochemistry of humic substances in natural and cultivated peatlands. In *Humic substances in soil, sediment, and water: Geochemistry, isolation, and characterization,* eds. G. R. Aiken, D. M. McKnight, and R. L. Wershaw, 53–86. New York: John Wiley & Sons.

McAneny, C. C., P. G. Tucker, J. M. Morgan, C. R. Lee, M. F. Kelley and R. C. Horz. 1985. Covers for uncontrolled hazardous waste sites. Vicksburg, MS: U.S. Army Engineer Waterways Experiment Stations.

McBride, M. B. 1989. Surface chemistry of soil minerals. In *Minerals in soil environments,* eds. J. B. Dixon and S. B. Weed. Madison, WI: Soil Sci. Soc. Am.

McCarthy, J. F. 1990. The mobility of colloidal particles in the subsurface. *Hazardous Materials Control.* July/August:38–43.

McCarthy, J. F. and B. D. Jimenez. 1985. Interactions between polycyclic aromatic hydrocarbons and dissolved humic material: binding and dissociation. *Environ. Sci. Technol.* 19:1072–76.

McCarthy, J. F. and J. M. Zachara. 1989. Subsurface transport of contaminants. *Environ. Sci. Tech.* 23:496–502.

McCaslin, B. D. and O'Connor, G. A. 1982. Potential fertilizer value of gamma-irradiated sewage sludge on calcareous soil. *New Mexico Agric. Exp. Stn. Bull.* 692.

McDowell-Boyer, L. M., J. R. Hunt, and N. Sitar. 1986. Particle transport through porous media. *Water Resour. Res.* 22:1901–21.

McKee, C. R. and A. C. Bumb. 1984. *The importance of unsaturated flow parameters in designing a monitoring system for a hazardous waste site.* Proceedings of the National Conference on Hazardous Wastes and Environmental Emergencies. The Hazardous Materials Control Research Institute. Houston, TX, March 1984, pp. 50–58.

McKee, C. R., A. C. Bumb and T. L. Deshler. 1983. A three-dimensional computer model to aid in selecting monitor locations in the Vadose Zone, Proceedings of the NWWA/U.S. EPA Conference on Characterization and Monitoring of the Vadose (Unsaturated) Zone. National Water Well Association, Worthington, OH, Las Vegas, December 8, pp. 133–61.

McKee, C. R. and A. C. Bumb. 1987. Flow-testing coalbed methane production wells in the presence of water and gas. SPE Formation Evaluation, December, 599–608.

———. 1988. A three-dimensional analytical model to aid in selecting monitoring locations in the Vadose Zone. *Ground Water Monitoring Review,* Spring 1988.

McLeod, A. I. and K. W. Hipel. 1978. Simulation procedures for Box-Jenkins models. *Water Resources Research* 14(5):969–75.

McNeal, B. L. and N. T. Coleman. 1966. Effect of solution composition on soil hydraulic conductivity. *Soil Sci. Soc. Amer. Proc.* 308–17.

McWhorter, D. B. and B. H. Kueper. Undated. *Validation of a DNAPL flow model using an analytical solution.* Unpublished manuscript.

McWhorter, D. B. and D. K. Sunada. 1990. Exact integral solutions for two phase flow. *Water Resour. Res.* 26(3):399–414.

Means, J. C. and R. Wijayaratne. 1982. Role of natural colloids in the transport of hydrophobic pollutants. *Science* 215:968–70.

Means, J. C., S. G. Wood, J. J. Hassett and W. L. Banwart. 1980. Sorption of polynuclear aromatic hydrocarbons by sediments and soils. *Environmental Science and Technology* 14:1524–28.

Meller, E. J. and R. W. Dalzell. 1982. Mine air quality control. In *Mine ventilation and air conditioning,* ed. H. L. Hartman, 37–130. New York: John Wiley & Sons.

Mengel, K. and E. A. Kirkby. 1982. *Principles of plant nutrition.* Worblufen-Bern, Switzerland: International Potash Institute.

Meyer, A. F. 1915. Computing run-off from rainfall and other physical data. *Transactions of the American Society of Civil Engineers* 79:1056–155.

Meyer, J. L. and C. M. Tate. 1983. The effects of watershed disturbance on dissolved organic carbon dynamics of a stream. *Ecology.* 64:33–44.

Miller, C. T. and W. J. Weber. 1986. Sorption of hydrophobic organic pollutants in saturated soil systems. *J. Contam. Hydrol.* 1:243.

Miller, D. E. and W. H. Gardner. 1962. Water infiltration into stratified soil. *Soil Sci. Soc. Amer. Proc.* 26:115–19.

Miller, E. J. and R. W. Dalzell. 1982. Mine air quality control. In *Mine Ventilation and Air Conditioning,* ed. H. L. Hartman 37–130. New York: John Wiley & Sons.

Miller, E. E. and R. D. Miller. 1956. Physical theory for capillary flow phenomena. *Journal Applied Physics.* 27:324–32.

Miller, R. H., S. S. Brar, and J. T. Logan, 1977. *Effect of spray irrigation of municipal wastewater on nitrogen transformations in soil.* National Technical Information Service, Springfield, VA, PB-276 661. Columbus, OH: Ohio Water Resources Center. Project Completion Report No. 495X, 59 p.

Miller, R. H. and J. F. Wilkinson. 1977. Nature of the organic coating on sand grains of nonwettable golf greens. *Soil Sci. Soc. Am. J.* 41:1203–04.

Miller, W. P. and M. K. Baharuddin. 1986. Relationship of soil dispersibility to infiltration and erosion of southeastern soils. *Soil Sci.* 142:235–40.

Miller, W. P. and D. E. Radcliffe. 1992. Soil crusting in the southeastern United States. In *Soil crusting, chemical and physical processes,* eds. M. E. Sumner and B. A. Stewart 233–66. Boca Raton FL: Lewis Publishers.

Millington, R. J. and J. P. Quirk. 1959. Permeability of porous media. *Nature* (London) 183:387–88.

———. 1960. Transport in porous media. Trans. Seventh Int. Congr. *Soil Sci. I*:97–106.

———. 1961. Permeability of porous solids. *Trans. Faraday Society* 57:1200–07.

Milly, P. C. D. 1982. Moisture and heat transport in hysteretic, inhomogeneous porous media: A matric head-based formulation and a numerical model. *Water Resour. Res.* 18:489–98.

———. 1984. A simulation analysis of thermal effects on evaporation from soil. *Water Resour. Res.* 20:1087–1098.

Mitchell, J. K. 1993. Fundamentals of soil behavior, 2d. ed. New York: John Wiley & Sons.

Mitscherlich, E. A. 1901. Untersuchungen uber die physikalischen bodeneigenshaften. *Landw. Jahrb.* 30:360–445.

———. 1905. *Bodenkunds fur land-und-forstwirthe.* Berlin: P. Parey.

———. 1930. *Die bestimmung des dungebedurfnisses des bodens.* Berlin: P. Parey.

Monteith, J. L. 1965. Evaporation and environment. In *The state and movement of water in living organisms.* Nineteeth Symp. Soc. Exp. Biol. New York: Academic Press.

———. 1973. *Principles of environmental physics.* New York: Elsevier.

Monteith, J. L. and P. C. Owen. 1958. A thermocouple method for measuring relative humidity in the range 95–100%. *J. Sci. Instrum.* 35:443–46.

Moore, C. J. 1986. Frequency response corrections for eddy correlation systems. *Bound. Lay. Meteorol.* 37: 17–35.

Moore, R. E. 1941. The relation of soil temperature and soil moisture: pressure potential relation and infiltration rate. *Soil Science Society of America Proceedings* 5:61–64.

Morel-Seytoux, H. J. 1973. Systematic treatment of infiltration with applications. Completion report series no. 50, Environmental Research Center. Fort Collins, CO: Colorado State University.

———. 1979. *Analytical results for predictions of variable rainfall infiltration, Hydrowar program, CEP 79-80HJM37.* Department of Civil Engineering, Colorado State University, Fort Collins, CO.

———. 1987. "Multiphase flows in porous media." In Developments in Hydraulic Engineering—4, ed. P. Novak, 103–43. London: Elsevier Applied Science Publishers, Ltd.

Morel-Seytoux, H. J. and J. Khanji. 1974. Derivation of an Equation of Infiltration. *Water Resour. Res.* vol. 10(4):795–800.

Moreno, J. C. 1981. Agricultural land irrigation with wastewater in the Mezquital Valley. In *Municipal wastewater in agriculture.* New York: Academic Press.

Morrison, R. 1993. Hydrocarbon Transport in Soils. *The National Environmental Journal* September/October:52–56.

Mosier, A. R., W. J. Parton, D. W. Valentine, D. S. Ojima, D. S. Schimel, and O. Heinemeyer. 1997. CH_4 and N_2O fluxes in the Colorado shortgrass steppe. 2. Long-term impact of land use change. *Glob. Biogeochem. Cy.* 11(1): 29–42.

Mott, C. J. B. 1988. Surface chemistry of soil particles. In *Russell's soil conditions and plant growth,* 11th ed., ed. A. Wild. New York: John Wiley & Sons, Inc.

Mualem, Y. 1976. Hysteretical models for prediction of the hydraulic conductivity of unsaturated porous media. *Water Resour. Res.* 12:1248–54.

Mueller, D. K. and D. R. Helsel. 1996. Nutrients in the nation's waters—too much of a good thing? U.S. Geological Survey Circular 1136. Washington, DC: U.S. Govt. Printing Office.

Murphy, J. W., A. C. Bumb and C. R. McKee. 1987. *Vadose model of gasoline Leak,* (unpublished Manuscript). Laramie, WY: In-Situ, Inc.

Musgrave, G. W. 1955. How much of the rain enters the soil?, In *Water yearbook of agriculture,* 151–59. Washington, DC: U.S. Department of Agriculture.

Musgrave, G. W. and H. N. Holtan. 1964. Section 12, Infiltration. In *Handbook of applied hydrology,* V. T. Chow. New York: McGraw-Hill Book Company.

Nachabe, M. H., T. H. Illangasekare, H.J. Morel-Seytoux, and L.R. Ahuja. 1997. Infiltration over heterogeneous watershed: Influence of rain excess. *Journal of Hydrologic Engineering* 2(3):140–43.

Nakane, K., M. Yamamoto, and H. Tsubota. 1983. Estimation of root respiration in a mature forest ecosystem. *Japn. J. Ecol.* 33:397–408.

Nakayama, F. S. 1990. Soil respiration. *Remot. Sens. Rev.* 5(1):311–20.

Nakshabandi, G. A. and H. Kohnke. 1965. Thermal conductivity and diffusivity of soils as related to moisture tension and other physical properties. *Agric. Meteor.* 2:271–79.

Narasimhan, T. N., S. N. Neuman and P. A. Witherspoon. 1978. Finite element method for subsurface hydrology using a mixed explicit-implicit iterative scheme. *Water Resour. Res.* 14(5):863–77.

Nazeroff, W. W., S. R. Lewis, S. M. Doyle, B. A. Moed, and A. E. Nero. 1987. Experiments on pollutant transport from soil into residential basements by pressure-driven airflow. *Env. Sci. Tech.* 21:459–66.

Neal, O. R., L. A. Richards, and M. B. Russell. 1937. Observations on moisture conditions in lysimeters. *Soil Sci. Soc. Am. Proc.* 2:35–44.

Neilsen, G., D. S. Stevenson, J. J. Fitzpatrick, and C. H. Brownlee. 1989. Yield and plant nutrient content of vegetables trickle-irrigated with municipal wastewater. *Hortscience* 24:249–52.

Nelson, D. M. and K. A. Orlandini. 1986. Environmental Research Division progress report 1984–1985. Anl-86-15. Argonne, IL: Argonne Nat'l Laboratory.

Nelson, D. M., W.R. Penrose, J. O. Kaltunen, and P. Mehlhaf. 1985. Effects of dissolved organic carbon on the adsorption properties of plutonium in natural waters. *Environ. Sci. Technol.* 19:127–31.

Neretnieks, I. 1983. A note on fracture flow dispersion mechanisms in the ground. *Water Resour. Res.* 19:364–70.

Neumann, H. H., and G. W. Thurtell. 1972. A peltier cooled thermocouple dewpoint hygrometer for in situ measurement of water potentials. In *Psychrometry in water relations research,* eds. R. W. Brown and B. P. van Haveren, 103–112, Proc. Symp. on Thermocouple Psychrometers, Utah St. Univ., Utah Agric. Expt. Sta., Logan, UT.

Neumann, H. H., G. W. Thurtell, and K. R. Stevenson. 1974. In situ measurements of leaf water potential and resistance to water flow in corn, soybean, and sunflower at several transpiration rates. *Can. J. Plant Sci.* 54:175–84.

Nicolaides, G. and C. Eckert. 1978. Optimal representation of binary liquid mixture nonidealities. *Ind. Eng. Chem. Fundam.* 17:331.

Nielsen, D. R. and J. W. Biggar. 1962. Miscible displacement. III. Theoretical considerations. *Soil Sci. Soc. Amer. Proc.* 26:216–21.

Nielsen, D. R., J. W. Biggar, and J. M. Davidson. 1962. Experimental consideration of diffusion analysis in unsaturated flow problems. *Soil Sci. Soc. Amer. Proc.* 26:107–11.

Nielsen, D. R., D. Kirkham, and E. R. Perrier. 1960. Soil capillary conductivity: Comparison of measured and calculated values. *Soil Sci. Soc. Am. Proc.* 24:157–60.

Nielsen, D. R., D. Kirkham, and W. R. Van Wijk. 1959. Measuring water stored temporarily above field moisture capacity. *Soil Sci. Soc. Am. Proc.* 23:408–512.

Nielsen, D. R., J. W. Biggar, and K. T. Erb. 1973. Spatial variability of field-measured soil-water properties. *Hilgardia* 42:215–59.

Nightingale, H. I. and W. C. Bianchi. 1977. Ground-water turbidity resulting from artificial recharge. *Ground Water* 15:146–52.

Nilson, R. H., E. W. Paterson, K.H. Lie, N.R. Burkhard, and J.R. Hearst. 1991. Atmospheric pumping: A mechanism causing vertical transport of contaminated gases through fractured permeable media. *J. Geophys. Res.* 96(B13):21933–48.

Nkedi-Kizza, P., J. W. Biggar, M. Th. Van Genuchten, P. J. Wierenga, H. M. Selim, J. M. Davidson, and D. R. Nielsen. 1983. Modeling tritium and chloride 36 transport through an aggregated Oxisol. *Water Resour. Res.* 19:691–700.

Nkedi-Kizza, P., P. S. C. Rao, R. E. Jessup, and J. M. Davidson. 1982. Ion exchange and diffusive mass transfer during miscible displacement through an aggregated oxisol. *Soil Sci. Soc. Am. J.* 46:471–78.

Nofziger, D. L. 1985. *Interactive simulation of one-dimensional water movement in soils.* User's Guide, Circular 675, Software in Soil Science, Florida Cooperative Extension Service, University of Florida, Gainesville, Florida.

Nofziger, D. L. and J. R. Williams. 1988. *Interactive simulation of the fate of hazardous chemicals during land treatment of oily wastes.* RITZ User's Guide. Ada, OK: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, EPA/600/8-88/001, January, 61 p.

Nolan, T., K. R. Srinivasan, and H. S. Fogler. 1989. Dioxin sorption by hydroxy-aluminum-treated clays. *Clays and Clay Minerals* 37:487–92.

Norel, G. 1967. Analyse quantitative par absorption ou fluourescence d'un traceur stable. *Suppl. Bull. Inform. ATEN* 65:8–11.

Norman, J. M. 1979. Modeling the complete crop canopy, In *Modification of the aerial environment of crops,* Barfield and Gerber, eds., 249–280. St. Joseph, MI: Amer. Soc. Agric. Eng.

Norrish, K. and J. A. Rausell-Colom. 1963. Low-angle X-ray diffraction studies of the swelling of montmorillonite and vermiculite. *Clays Clay Miner.* 10:123–49.

Novich, B. E. and T. A. Ring. 1984. Colloid stability of clays using photon correlation spectroscopy. *Clays Clay Miner.* 32(5):400–406.

Nuclear Waste Policy Act (Section 113). 1988. Site characterization plan: Overview—Yucca mountain site, Nevada research and development area, Nevada. U.S. Department of Energy, Office of Civilian Radioactive Waste Management. Washington, DC: U.S. Govt. Printing Office.

Nylan, J. W., B. J. Drennan, W. V. Abeele, M. L. Wheeler, W. D. Purtymun, G. Trujillo, W. J. Herrera, and J. W. Booth. 1985. Distribution of plutonium and americium beneath a 33-yr-old liquid waste disposal site. *J. Environ. Qual.* 14:501–509.

Oades, J. M. 1989. An introduction to organic matter in mineral soils. In *Minerals in soil environments,* eds. J. B. Dixon and S. B. Weed. Madison, WI: Soil Sci. Soc. Am.

O'Brien, G. M. 1993. *Earthquake-induced water-level fluctuations at Yucca Mountain, Nevada, June 1992.* U.S. Geological Survey Open-File Report 93-73. Washington, DC: U.S. Govt. Printing Office.

Oke, T. R. 1987. *Boundary Layer Climates.* London: Methune & Co. Ltd.

Olsen, H. W. 1966. Darcy's law in saturated kaolinite. *Water Resour. Res.* 2:287–95.

O'Melia, C. R. 1980. Aquasols: the behavior of small particles in aquatic systems. *Environ. Sci. Technol.* 14:1052–60.

Oron, G., Y. DeMalach, Z. Hoffman, Y. Keren, and H. Hartman. 1991. Wastewater disposal by sub-surface trickle irrigation. *Water Science & Tech.* 23:2149–158.

Osburn, R. C. and C. E. Burkhead. 1992. Irrigating vegetables with reclaimed wastewater. *Water Environ. & Tech.* 4:38–43.

Otton, J. K., L. C. S. Gunderson, and R. R. Schumann. 1993. *The geology of radon.* Bull. 356–733. Washington, DC: U.S. Govt. Printing Office.

Ozima, M. and F. A. Podosek. 1983. *Noble gas geochemistry.* New York: Cambridge University Press.

Page, A. L. and A. C. Chang, 1981. Trace metals in soils and plants receiving municipal wastewater irrigation. In *Municipal wastewater in agriculture,* 351–72. New York: Academic Press.

Page, J. B. 1948. Advantages of the pressure pycnometer for measuring the pore space in soils. *Soil Sci. Soc. Am. Proc.* 12:81–84.

Palissy, B. 1957. *Admirable Discourses.* Translated by Aurele LaRocque. Urbana: Univ. Illinois Press.

Park, I. S., J. C. Parker, and A. J. Valocchi. 1986. Constraints on the validity of equilibrium and first-order kinetic transport models in structured soils. *Water Resour. Res.* 22:339–43.

Parker, G. W. 1977. Methods for determining selected flow characteristics for streams in Maine. Geological Survey Open-File Report 78–871.

Parker, J. C., R. J. Lenhard, and T. Kuppusamy. 1987. A parametric model for constitutive properties governing multiphase flow in porous media, *Water Resour. Res.* 23(4):618–24.

Parker, J. C. and M. Th. Van Genuchten. 1984a. Determining transport parameters from laboratory and field tracer experiments. *Virg. Agric. Exp. Stat. Bull.* 84–3.

———. 1984b. Flux-averaged concentrations in continuum approaches to solute transport. *Water Resour. Res.* 20:866–72.

Paschis, J. A., J. R. Kunkel, and R. A. Keonig. 1988. *Wellfield installation and investigations, Creston study area,* Eastern Washington, NUREG/CR-5251. Washington, DC: U.S. Nuclear Regulatory Commission, Division of Engineering, Office of Nuclear Regulatory Research, NRC FIN D1163.

Passioura, J. B. 1971. Hydrodynamic dispersion in aggregated media. l. *Theory. Soil Sci.* 111:339–44.

Passioura, J. B. and D. A. Rose. 1971. Hydrodynamic dispersion in aggregated media. 2. Effects of velocity and aggregated size. *Soil Sci.* 111:345–51.

Peck, A. J., C. D. Johnston and D. R. Williamson. 1981. Analysis of Solute Distributions in Deeply Weathered Soils. *Agricultural Water Management* 4:83–102.

Peck, A. J., R. J. Luxmoore, and Janice L. Stolzy. 1977. Effects of spatial variability of soil hydraulic properties in water budget modeling. *Water Resour. Res.* 13:348–54.

Peitgen, H.O. and D. Saupe. 1988. *The science of fractal images.* New York: Springer-Verlag.

Penman, H. L. 1940. Meteorological and soil factors affecting evaporation from fallow soil. *Quart. J. R. Meteorol. Soc.* 66:401–10.

———. 1948a. Natural evapotranspiration from open water, bare soil, and grass. *Proc. Roy. Soc. London, Ser. A.* 193: 120–45.

———. 1948b. Physics in agriculture. *Sci. Instrum.* 25:425–32.

———. 1951. The role of vegetation in meteorology, soil mechanics and hydrology. *Brit. J. Appl. Phys.* 2:145–51.

Penrose, W. R., W. L. Polzer, E. H. Essington, D. M. Nelson, and K. A. Orlandini. 1990. Mobility of plutonium and americium through a shallow aquifer in a semiarid region. *Environ. Sci. Technol.* 24:228–34.

Perfect, E. and B.D. Kay. 1995. Applications of fractals in soil and tillage research: a review. *Soil Till. Res.* 36:1–20.

Perrier, E. R. and A. C. Gibson. 1982. Hydraulic Simulation of Solid Waste Disposal Sites, Office of Solid Waste and Emergency Response. Washington, DC: U.S. Environmental Protection Agency.

Perroux, K. M. and I. White. 1988. Designs of Disc Permeameters. *Soil Sci. Soc. Am. J.* 52:1205–15.

Peterson, A. and G. Bubenzer. 1986. Intake rate sprinkler infiltrometer. In *Methods of Soil Analysis. See* Klute 1986.

Pfannkuch, H. O. 1963. Contribution a l'etude des deplacements de fluides dans un milieu poreux. *Rev. Inst. Fr. Petr.* 18:215–70.

Philip, J. R. 1957a. The theory of infiltration: 1. The infiltration equation and its solution. *Soil Science* vol. 83:345–57.

———. 1957b. The theory of infiltration: 2. The profile of infinity. *Soil Science* 83:435–48.

———. 1957c. The theory of infiltration: 3. Moisture profiles and relation to experiment. *Soil Science* 84:163–74.

———. 1957d. The theory of infiltration: 4. Sorptivity and algebraic infiltration equations. *Soil Science* 84:257–64.

———. 1968. Diffusion, dead-end-pores and linearized absorption in aggregated media. *Aust. J. Soil Res.* 6:21–30.

———. 1968. The theory of absorption in aggregated media. *Aust. J. Soil Res.* 6:1–19.

———. 1969. Theory of infiltration, In *Advances in Hydroscience,* vol. 5, ed. V. T. Chow, 215–305. New York: Academic Press.

———. 1971. Hydrology of swelling soils. In *Salinity and water use,* eds. T. Talsma and J. R. Philip. London: Macmillan.

———. 1974. Water movement in soil. In: *Heat and mass transfer in the biosphere,* eds. D.A. deVries and N.H Afgan, 29–47. New York: Halsted Press-Wiley.

———. 1975a. Stability analysis of infiltration. *Soil Sci. Soc. Amer. Proc.* 39: 1042–49.

———. 1975b. The growth of disturbances in unstable infiltration flows. *Soil Sci. Soc. Amer. Proc.* 39:1049–53.

Philip, J. R. and D. A. deVries. 1957. Moisture movement in porous materials under temperature gradients. *Trans. Amer. Geophys. Union* 38:222–32.

Phillips, F. M. 1994. Environmental tracers for water movement in desert soils of the American Southwest. *Soil Science Society of America Journal.* 58:15–24.

Phillips, F. M., J. L. Mattick, T. A. Duval, D. Elmore and P. W. Kubik. 1988. Chlorine-36 and tritium from nuclear weapons fallout as tracers for long-term liquid and vapor movement in desert soils. *Water Resour. Res.* 24:1877–91.

Pierotti, G., C. Deal, and E. Derr. 1959. Activity coefficients and molecular structure. *Ind. Eng. Chem.* 51:95.

Pinder, G. F. and W. G. Gray. 1977. Finite elements in surface and subsurface hydrology. New York: Academic Press.

Pochop, L. O., J. Borrell and R. D. Burman. 1984. Elevation-A bias in SCS Blaney Criddle ET estimates. *Transactions of the American Society of Agricultural Engineers* 27:125–28.

Poirria, M. A., B. R. Bordelon and J.L. Laseter. 1972. Adsorption and concentration of dissolved carbon-14 DDT by coloring colloids in surface waters. *Environ. Sci. Technol.* 6:1033–35.

Poiseuille, J. L. 1840–1841. Recherches experimentales sur le mouvement des liquides dans les tubes de tres petits diametres. *Compt. Rend.* 11:961–67, 1041–48; 12:112–15.

Polmann, D. J., E. G. Vomvoris, D. McLaughlin, E. M. Hammick, and L.W. Gelhar. 1988. Application of stochastic methods to the simulation of large-scale unsaturated flow and transport. NUREG/CR-5094. Washington, DC: U.S. Nuclear Regulatory Commission.

Powlson, D. S., K. W. T. Goulding, T. W. Willison, C. P. Webster, and B. W. Hutsch. 1997. The effect of agriculture on methane oxidation in soil. *Nutr. Cy. in Agroecosys.* 49:59–70.

Priestely, C. H. B. and R. J. Taylor. 1972. On the assessment of surface heat flux and evaporation using large-scale parameters. *Month. Weather Rev.* 100:81–92.

Pye, V., R. Patrick, and J. Quarles. 1983. *Ground water quality in the United States.* Philadelphia: University of Pennsylvania Press.

Querner, E. P. 1986. *An integrated surface and ground-water flow model for the design and operation of drainage systems.* Proceedings of the International Conference on Hydraulic Design in Water Resources Engineering: Land Drainage, Southampton, UK, April 16-18, 1986, pp. 101-108, Report No. 15. Wageningen, The Netherlands: Institute for Land and Water Management Research.

Quirk, J. P. 1978. Some physico-chemical aspects of soil structure stability—a review. In *Modification of Soil Structure,* eds. W. W. Emerson, R. D. Bond, and A. R. Dexter. New York: John Wiley & Sons.

Quirk, J. P. and R. K. Schofield. 1955. The effect of electrolyte concentration on soil permeability. *J. Soil Sci.* 6:163–78.

Raats, P. A. C. 1972. Steady infiltration from point sources, cavities, and basins. *Soil Sci. Soc. Am. Proc.* 35:689–94.

———. 1973. Unstable wetting fronts in uniform and nonuniform soils. *Soil Sci. Soc. Am. Proc.* 37:681–85.

———. 1974. Steady flow of water and salt in uniform profile with plant roots. *Soil Sci. Soc. Am. J.* 38:717–22.

———. 1978. Convective transport of solutes by steady flows, I. General theory, *Agricultural Water Management* 1:201–18.

———. 1984. Tracing parcels of water and solutes in unsaturated zones. In *Pollutants in Porous Media,* eds. B. Yaron, G. Datgan, and J. Goldschmidt. New York: Springer-Verlag.

Rahe, T. M., C. Hagedorn, E. L. McCoy and G. F. Kling. 1978. Transport of antibiotic-resistant Escherichia coli through western Oregon hillslope soils under conditions of saturated flow. *J. Environ. Qual.* 7:487–94.

Raloff, J. 1990. The colloid threat. *Science News.* 137:169–70.

Rantz, S. E. 1964. Snowmelt hydrology of a Sierra Nevada stream, Geological Survey Water-Supply Paper 1779-R. Prepared in cooperation with California Department of Water Resources. Washington, DC: U.S. Government Printing Office.

Rao, P. S. C. and J. M. Davidson. 1980. Estimation of pesticide retention and transformation parameters required in nonpoint source pollution models. In *Environmental impact of nonpoint source pollution,* eds. M. R. Overcash and J. M. Davidson. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.

Rao, P. S. C., R. E. Jessup, and T. M. Addiscott. 1981. Experimental and theoretical aspects of solute diffusion in spherical and nonspherical aggregates. *Soil Sci.* 133:342–47.

Rao, P. S. C., R. E. Jessup, D. E. Rolston, J. M. Davidson, and D. P. Kilcrease. 1980a. Experimental and mathematical description of nonadsorbed solute transfer by diffusion in spherical aggregates. *Soil Sci. Soc. Am. J.* 44:684–88.

Rao, P. S. C., D. E. Rolston, R. E. Jessup, and J. M. Davidson. 1980a. Solute transport in aggregated porous media. Theoretical and experimental evaluation. Soil Sci. Soc. Amer. J. 44:1139–46.

Rao, P. S. C., D. E. Rolston, R. E. Jessup, and J. M. Davidson. 1980b. Solute transport in aggregated porous media: Theoretical and experimental evaluation. *Soil Sci. Soc. Am. J.* 44:1139–44.

Rasmuson, A. 1982. Transport processes and conversion in isothermal fixed-bed catalytic reactor. *Chem. Eng. Sci.* 37:411–16.

Rasmuson, A. and I. Neretnieks. 1981. Migration of radionuclides in fissured rock: The influence of micropore diffusion and longitudinal dispersion. *J. of Geophys. Res.* 86:3749–58.

Rasmusson, E. M., R. E. Dickinson, J. E. Kutzback, and M. K. Cleaveland. 1993. Chapter 2, Climatology, In *Handbook of Hydrology,* ed. D. R. Maidment. New York: McGraw-Hill, Inc.

Ravina, I. and P. F. Low. 1972. Relation between swelling, water properties and b-dimension in montmorillonite-water systems. *Clays Clay Miner.* 20:109–23.

Rawlins, S. L. and G. S. Campbell. 1986. Water potential: Thermocouple psychrometry. In *Methods of Soil Analysis, Part I.* Physical and Mineralogical Methods, Agronomy Monograph (9)597–618. Madison, WI: Amer. Soc. Agron.

Rawls, W. J., L. R. Ahuja, D. L. Brakensiek and A Shirmonhammadi. 1993. Chapter 5 - Infiltration and soil water movement. In *Handbook of Hydrology,* ed. D. R. Maidment. New York: McGraw-Hill, Inc.

Rawls, W. J. and D. L. Brakensiek. 1983. A Procedure of predict Green Ampt infiltration parameters. Proceedings of the Symposium on Advances in Infiltration, American Society of Agricultural Engineers, St. Joseph, MI., pp. 102–12.

Rawls, W. J., D. L. Brakensiek and R. Savabi. 1989. Infiltration parameters for rangeland soils. *Journal of Range Management* 42(2):139–42.

Rawls, W. J., D. L. Brakensiek, and K. E. Saxton. 1982. Estimation of soil water properties. *Transactions of the American Society of Agricultural Engineers* 25:1316–20, 1328.

Razavi, M. -S., B. J. McCoy, and R. G. Carbonell. 1978. Moment theory of breakthrough curves for fixed-bed adsorbers and reactors. *Chem. Eng. J.* 16:211–22.

Rees, T. F. 1987. A review of light-scattering techniques for the study of colloids in natural waters. *J. Contaminant Hydrol.* 1:425–39.

Reid, R. C., J. M. Prausnitz, and T. K. Sherwood. 1977. The properties of gases and liquids, 3d ed. New York: McGraw-Hill, Inc.

Reisenauer, A. E., K. T. Key, T. N. Narasimhan, and R. W. Nelson. 1982. TRUST: A Computer program for variably saturated flow in multidimensional, deformable media, NUREG/CR-2360. Washington, DC: U.S. Nuclear Regulatory Commission.

Rengasamy, P. 1983. Clay dispersion in relation to the changes in the electrolyte composition of dialysed red-brown earths. *J. Soil Sci.* 34:723–32.

Rengasamy, P., R. S. B. Greene, G. W. Ford, and A. H. Mehanni. 1984. Identification of dispersive behavior in the management of red-brown earths. *Aust. J. Soil Res.* 22:413–22.

Rengasamy, P. and M. E. Sumner. Forthcoming. In *Sodic Soils: Distribution, Processes, Management, and Environmental Consequences,* ed. M. E. Sumner and R. Naidu. New York: Oxford University Press.

Reynolds, O. 1883. An experimental investigations of the circumstances which determine whether the motion of the water shall be direct or sinuous, and of the law of resistance in parallel channels. *Proc. R. Soc. London* 35:84–99.

Richards, L. A. 1931. Capillary conduction of liquids through porous mediums. *Physics* 1:318–33.

———. 1941. A pressure-membrane extraction apparatus for soil solution. *Soil Sci.* 51:377–86.

———. 1942. Soil moisture tensiometer materials and construction. *Soil Sci.* 53:241–48.

———. 1948. Porous plate apparatus for measuring moisture retention and transmission by soil. *Soil Sci.* 66:105–10.

———. 1949. Methods of measuring soil moisture. *Soil Sci.* 68:95–112.

———. 1950. Laws of soil moisture. *Trans. Am. Geophys. Union* 31:750–56.

———. 1955. Water content changes following the wetting of bare soil in the field. *Soil Sci. Fla. Proc.* 15:142–48.

———. 1960. Advances in soil physics. Trans Seventh Int. Congr. *Soil Sci.* 1:67–79.

Richards, L. A. and Milton Fireman. 1943. Pressure plate apparatus for measuring moisture sorption and transmission by soils. *Soil Sci.* 56:395–404.

Richards, L. A. and W. Gardner. 1936. Tensiometers for measuring the capillary tension of soil water. *J. Am Soc. Agron.* 28:352–58.

Richardson, C. W. and D. A. Wright, 1984, WGEN: A model for generating daily weather variables, ARS-8, Agricultural Research Service, U.S. Department of Agriculture, 83 p.

Ripple, C. D., J. Rubin, and T. E. A. van Hylckama. 1972. *Estimating steady-state evaporation rates from bare soils under conditions of high water table.* Water Supply Paper 2019-A. Washington, DC: U.S. Geological Survey.

Risken, H. 1984. The Fokker-Planck Equation. Methods of solution and application. New York: Springer-Verlag.

Robbins, C. W., J. J. Jurinak, and R. J. Wagenet. 1980a. Calculating cation exchange in a salt transport model. *Soil Sci. Soc. Amer. J.* 44:1195–29.

Robbins, C. W., R. J. Wagenet, and J. J. Jurinak. 1980b. A combined salt transport-chemical equilibrium model for calcareous and gypsiferous soils. *Soil Sci. Soc. Amer. J.* 44:1191–94.

Robbins, G. A., S. Wang, and J. D. Stuart. 1993. Using the static headspace method to determine Henry's law constants. *Analy. Chem.* 65(21):3113–18.

Romell, L. G. 1922. Luftvaxlingen i marken s.ekol. faktor. *Medd. Statens Skogsforskningsinst* 19:125–359.

Rose, D. A. and J. B. Passioura. 1971a. The analysis of experiments on hydrodynamic dispersion. *Soil Sci.* 111:252–57.

———. 1971b. Gravity segregation during miscible displacement. *Soil Sci.* 111:258–65.

Rosenberg, N. J., B. L. Blad, and S. B. Verma. 1983. *Microclimate.* New York: John Wiley & Sons.

Ross, D. L. and H. J. Morel-Seytoux. 1982. *User's Manual for SOILMOP: A Fortran IV program for prediction of infiltration and water content profiles under variable rainfall conditions,* Interim Report for FY 1981–82, DER-82-DLR-HJM45, Department of Civil Engineering, Colorado State University, Fort Collins, Colorado.

Rosswall, T. 1989. What regulates production and consumption of trace gases in ecosystems: Biology or physiochemistry? In *Exchange of trace gases between terrestrial ecosystems and the atmosphere,* eds. M. O. Andreae and D. S. Schimel, 73–96. New York: John Wiley & Sons.

Rower, C. 1931. *Evaporation from free water surfaces.* U.S. Department of Agriculture Technical Bulletin 27.

Ruben, S., M. Randall, and J. L. Hyde. 1941. Heavy oxygen (O^{18}) as a tracer in the study of photosynthesis. *J. Amer. Chem. Soc.* 63:837–79.

Rubin, J. 1983. Transport of reacting solutes in porous media: Relation between mathematical nature of problem formulation and chemical nature of reactions. *Water Resour. Res.* 19:1231–52.

Rubin, J. and R. V. James. 1973. Dispersion-affected transport reacting solutes in saturated porous media: Galerkin method applied to equilibrium-controlled exchange in unidirectional steady water flow. *Water Resour. Res.* 9:1332–56.

Russell, E. J. 1912. *Soil conditions and plant growth* (8th ed., 1950, recast and rewritten by E. Walter Russell). London: Longmans, Green.

———. 1957. *The world of the soil.* London: Collins.

Russell, M. B. 1949. Methods of measuring soil structure and aeration. *Soil Sci.* 68, 25–35.

———. 1952. Soil aeration and plant growth. In *Soil physical conditions and plant growth,* ed. B. T. Shaw, 253–301. New York: Academic Press.

Ryan, J. N. and P. M. Gschwend. 1990. Colloid mobilization in two Atlantic coastal plain aquifers: Field studies. *Water Resour. Res.* 26:307–22.

Salas, J. D. and M. Markus. 1992. Modeling and generation of multivariate seasonal hydrologic data (programs CSU003 and CSU004), technical report 3. Fort Collins, CO: Computing Hydrology Laboratory, Engineering Research Center, Colorado State University.

Saleur, H. and B. Duplantier. 1987. Exact determination of the percolation hull exponent in two dimensions. *Phys. Rev. Lett.* 58:2325–28.

Salisbury, F. B. and C. W. Ross. 1978. *Plant physiology.* Belmont, CA: Wadsworth.

Salmon, S. C. and A. A. Hanson. 1964. *The principles and practice of agricultural research.* London: Leonard Hill.

Sapoval, B., M. Rosso, and J. F. Gouyet. 1985. The fractal nature of a diffusing front and the relation to percolation. *J. Phys. Lett.* 46:L149–56.

Sass, J. H., A. H. Lachenbruch, W. W. Dudley, Jr., S. S. Priest, and R. J. Munroe. 1988. *Temperature, thermal conductivity, and heat flow near Yucca Mountain, Nevada: Some tectonic and hydrological implications.* Open-file report 87-649. Washington, DC: U.S. Geological Survey.

Saugier, B., A. Granier, J. Y. Pontailler, E. Dufrene, and D. D. Baldocchi. 1997. Transpiration of a boreal pine forest measured by branch bag, sap flow, and micrometeorological methods. *Tree Physiol.* 17:511–19.

Savage, M. J., A. Cass, and J. M. de Jager. 1983. Statistical assessment of some errors in thermocouple hygrometric water potential measurement. *Agric. Meteor.* 30:83–97.

Savage, M. J. and H. H. Wiebe. 1987. Voltage endpoint determination for thermocouple psychrometers and the effect of cooling time. *Agric. & For. Meteor.* 39:309–17.

Saxen, U. 1892. Electrokinetic potentials. In *Textbook of physical chemistry,* ed. S. Glasstone. New York: Van Nostrand.

Sayles, R. S. and T. R. Thomas. 1978. Surface topography as a nonstationary random process. *Nature* 271:431–34.

Scanlon, B. R. and P. C. D. Milly. 1994. Water and heat fluxes in desert soils: 2. Numerical simulations. *Water Resour. Res.* 30(3):721–33.

Scheidegger, A. E. 1961. General theory of dispersion in porous media. *J. Geophys. Res.* 66:3273–78.

———. 1974. *The physics of flow through porous media.* Toronto: University of Toronto Press.

Schenkel, J. H. and J. A. Kitchener. 1960. A test of the Derjaguin-Verwey-Overbeek theory with a colloidal suspension. *Trans. Faraday Soc.* 62:161–73.

Scheunert, I. and W. Klein. 1985. Predicting the movement of chemicals between environmental compartments (air-water-soil-biota). In *Appraisal of tests to predict the environmental behavior of chemicals,* eds. P. Sheehan, F. Korte, W. Klein and Ph. Bordeau 285–331. New York: John Wiley & Sons Ltd.

Schirado, T., I. Vergara, E. B. Schalscha, and P. F. Pratt. 1986. Evidence for movement of heavy metals in a soil irrigated with untreated wastewater. *J. Env. Quality* 15:9–12.

Schlicting, H. 1968. *Boundary-layer theory.* New York: McGraw-Hill.

Schnitzer, M. 1976. The chemistry of humic substances. In *Environmental biochemistry,* Vol. 1. ed. J. O. Nriagn, 89–107. Ann Arbor, MI: Ann Arbor Sci.

Schofield, R. K. 1935. The pF of the water in soil. Trans. 3rd Int. Cong. Soil Sci. 2:37–48.

———. 1946. Ionic forces in thick films of liquid between charged surfaces. *Trans. Faraday Soc.* 42B:219–25.

———. 1950. Soil moisture and evaporation. Trans. Fourth Intr. Congress. *Soil Sci.* 2:20–28.

Schroeder, P. R., T. S. Dozier, P. A. Zappi, B. M. McEnroe, J. W. Sjostrom, and R. L. Payton. 1994b. *The Hydrologic evaluation of landfill performance (HELP) model, Engineering documentation for version 3.* EPA\600\R-94\168b, September. Cincinnati, OH: U.S. Environmental Protection Agency.

Schroeder, P. R., C. M. Lloyd, P. A. Zappi, and N. M. Aziz. 1994a. *Hydrologic evaluation of landfill performance (HELP) model: User's guide for version 3.* EPA/600/R-94/168a, Risk Reduction Engineering Laboratory, 84 p., Appendix A. Cincinnati, OH: U.S. Environmental Protection Agency.

Schwartzenback, R. P. and J. Westall. 1981. Transport of nonpolar organic compounds from surface water to groundwater, laboratory sorption studies. *Environmental Science and Technology* 19:61–68.

Schwille, F. 1988. Dense chlorinated solvents in porous and fractured media. Chelsea MI: Lewis Publishers.

Scotter, D. R. 1978. Preferential solute movement through larger soil voids. I. Some computations using simple theory. *Aust. J. Soil Res.* 16:257–67.

Selim, H. M., J. M. Davidson, and R. S. Mansell. 1976a. Evaluation of a two-site adsorption-desorption model for describing solute transport in soil, 444–48. *Proc. Summer Conf,* Washington DC.

Selim, H. M., R. S. Mansell, and A. Elzeftway. 1976b. Distribution of 2,4-D and water in soil during infiltration and redistribution. *Soil Sci.* 121:176–83.

Selim, H. M., R. Schulin, and H. Fluhler. 1987. Transport and ion exchange in an aggregated soil. *Soil Sci. Soc. Amer. J.* 51:876–84.

Sellers, W. D. 1965. *Physical climatology.* Chicago: University of Chicago Press.

Sennett, Paul, and Olivier, J. P. 1965. Colloidal dispersions and the concept of zeta potential. *Ind. Eng. Chem.* 57:32–50.

Sharma, M. L., G. A. Gander, and C. G. Hunt. 1980. Spatial variability of infiltration in a watershed. *J. Hydrol.* 45:101–22.

Shaw, R. H., K. T. Paw U, X. J. Zhang, W. Gao, G. den Hartog, and H. H. Neumann. 1990. Retrieval of turbulent pressure fluctuations at the ground surface beneath a forest. *Bound. Lay. Meteor.* 50:319–38.

Sheppard, J. C., M. J. Campbell, T. Cheng, and J. A. Kittrick. 1980. Retention of radionuclides by mobile humic compounds and soil particles. *Environ. Sci. Technol.* 14:1349–53.

Short, T. E. 1985. *Movement of contaminants from oily waste during land treatment.* Proceedings of the Conference on Environmental and Public Health Effects of Soils Contaminated with Petroleum Products, Amherst, MA.

Shorter, J. 1972. The separation of polar, steric and resonance effects by the use of linear free energy relationships. Chapter 2 in *Advances in linear free energy relationships,* eds. N. B. Chapman and J. Shorter. New York: Plenum Press.

Shouse, P., J. Scisson, G. de Rooij, J. Jobes, and M. Th. Van Genuchten. 1989. *Application of fixed-gradient methods for estimating soil hydraulic conductivity.* Proceedings of International Workshop on Indirect Methods for Estimating the Hydraulic Properties of Unsaturated Soils, Riverside, California, October 11–13. Ed. M Th. Van Genuchten et al. Riverside, CA: Univ. of California.

Shuttleworth, W. J. 1993. Chapter 4, Evaporation. In *Handbook of hydrology,* ed. D. R. Maidment. New York: McGraw-Hill, Inc.

Shuval, H. I. 1993. Investigation of typhoid fever and cholera transmission by raw wastewater irrigation in Santiago, Chile. *Water Science & Tech.* 27:167–74.

Shuval, H. I., A. Adin, B. Fattal, E. Rawitz, and P. Yekutiel. 1986b. Wastewater irrigation in developing countries: Health effects and technical solutions. World Bank Technical Paper No. 51. Washington, DC: The World Bank.

Shuval, H. I., N. Buttman-Bass, J. Applebaum, and B. Fattal. 1989. Aerosolized enteric bacteria and viruses generated by spray irrigation of wastewater. *Water Science & Tech.* 21:131–35.

Shuval H. I., P. Yekutiel, and B. Fattal. 1985. Epidemiological evidence for helminth and cholera transmission by vegetables irrigated with wastewater: Jerusalem—a case study. *Water Science & Tech.* 17:433–42.

———. 1986a. Epidemiological model of the potential health risk associated with various pathogens in wastewater irrigation. *Water Science & Tech.* 18: 191–98.

Sisson, J. B., A. H. Ferguson and M. Th. van Genuchten. 1980. Simple methods for predicting drainage from field plots. *Soil Sci. Soc. Am. J.* 44:1147–52.

Skaggs, R. W. and R. Khaleel. 1982. Infiltration, In *Hydrologic modeling of small watersheds,* Monograph 5, ed. C. T. Haan, 4–166. St. Joseph, MI: American Society of Agriculture Engineers.

Slater, J. G. and J. G. Kirkwood. 1931. The van der Waals forces in gases. *Phys. Rev.* 37:682–97.

Slatyer, R. O. and I. C. McIlroy. 1961. *Practical microclimatology.* Australia: CSIRO.

Slichter, C. S. 1898. *Theoretical investigation of the motion of ground waters.* Nineteenth Annual Rep., Pt. 2:295–384. Washington, DC: U.S. Geological Survey.

Smiles, D. E. and J. R. Philip. 1978a. Solute transport during absorption of water by soil: Laboratory studies and their practical implications. *Soil Sci. Soc. Amer. J.* 42:537–44.

Smiles, D. E., J. R. Philip, J. H. Knight, and D. E. Elrick. 1978b. Hydrodynamic dispersion during absorption of water by soil. *Soil Sci. Soc. Amer. J.* 42:229–34.

Smith, J. A., P. R. Jaff, C. T. Chiou. 1990. Effect of ten quaternary ammonium cations on tetrachloromethane sorption to clay from water. *Environ. Sci. Technol.* 24:1167–72.

Smith, M. S., A. W. Thomas, R. E. White, and D. Ritonga. 1985. Transport of *Escherichia coli* through intact and disturbed soil columns. *J. Environ. Qual.* 14:87–91.

Smith, R. E. and J. -Y. Parlange. 1978. A parameter-efficient hydrologic infiltration model. *Water Resources Research* 14(3):533-38.

Sophocleous, M. and C. A. Perry, 1985, Experimental studies in natural groundwater recharge dynamics: The analysis of observed recharge events. *Journal of Hydrology,* 81:297-332.

Sopper, W. E. and S. N. Kerr, eds. 1979. Utilization of municipal sewage effluent and sludge on forest and disturbed land. University Park, PA: The Pennsylvania State University Press.

Sopper, W. E. and J. L. Richenderfer. 1978. Effects of spray irrigation of municipal wastewater on the physical properties of the soil. National Technical Information Service, VA, PB-290 732. Institute for Research on Land and Water Resources, Final Tech. Report, 14-31-0001-4205, 188 p.

———. 1979. Effect of municipal wastewater irrigation on the physical properties of the soil. In *Utilization of municipal sewage effluent and sludge on forest and disturbed land,* pp. 179–95. University Park, PA: The Pennsylvania State University Press.

Sorey, M. L. 1971. Measurement of vertical ground-water velocity from temperature profiles in wells. *Water Resour. Res.* 7(4):963–70.

Spanner, D. C. 1951. The Peltier effect and its use in the measurement of suction pressure. *J. Exptl. Botany* 2: 145–68.

Sposito, G. 1984. *The surface chemistry of soils.* New York: Oxford University Press.

———. 1989. *The chemistry of soils.* New York: Oxford University Press.

Sposito, G. and S. W. Mattigod. 1977. On the chemical foundation of the sodium adsorption ratio. *Soil Sci. Soc. Am. J.* 41:323–29.

Srinivasan, K. R. and H. S. Fogler. 1989. Use of modified clays for the removal and disposal of chlorinated dioxins and other priority pollutants from industrial wastewater. *Chemosphere* 18:333–42.

———. 1990a. Use of inorgano-organo-clays in the removal of priority of pollutants from industrial wastewaters: structural aspects. *Clays Clay Min.* 38:277–86.

———. 1990b. Use of inorgano-organo-clays in the removal of priority of pollutants from industrial wastewaters: Adsorption of Benzo(a)pyrene and chlorophenol. *Clays and Clay Minerals* 38:287–93.

Stannard, D. I. 1992. Tensiometers-theory, construction, and use. *Geotech. Testing J.* 15:48–58.

———. 1993. Comparison of Penman-Monteith, Shuttleworth-Wallace, and modified Priestly-Taylor evapotranspiration models for wildland vegetation in semi-arid rangeland. *Wat. Resour. Res.* 29(5):1379–92.

Stannard, D. I., J. H. Blanford, W. Kustas, W. Nichols, S. Amer, T. Schmugge, and M.Weltz. 1994. Interpretation of surface flux measurements in heterogeneous terrain during the Monsoon '90 experiment. *Water Resour. Res.* 30(5):1227–39.

Starr, R. C., R. W. Gillham, and E. A. Sudicky. 1985. Experimental investigation of solute transport in stratified porous media. 2. The reactive case. *Water Resour. Res.* 21:1043–50.

State of California. 1986. Site mitigation decision tree manual: California department of health services—toxic substance control division.

Steenhuis, T. S., J. Y. Parlange, and M. S. Andreini. 1990. A numerical model for preferential solute movement in structured soils. *Geoderma* 46:193–208.

Stephens, D. B. and R. Knowlton. 1986. Soil water movement and recharge through sand at a semi-arid site in New Mexico. *Water Resources Research* 22:881–89.

Stern, O. 1924. Zur theorie der elektrolytischen doppel-schicht. Zeitschrift fur elektrochemic der ange-wandte physikalische chemie. *Leipziq-Berlin.* 30:508–16.

Stevens, D. K., W. J. Grenney, and Z. Yan. 1991. A model for the evaluation of hazardous substances in the soil. Version 3.0. Department of Civil and Environmental Engineering, Utah State University, Logan, Utah.

Stevenson, F. J. 1976. Organic matter reactions involving pesticides in soil. *Am. Chem. Soc. Symp. Ser.* 29:180–207.

———. 1982a. Humus chemistry; genesis, composition, reactions. New York: Wiley-Interscience.

———. 1982b. Nitrogen in agricultural soils. Agronomy monograph 22. *Soil Sci. Soc. Am.* Madison, WI.

———. 1985. Geochemistry of soil humic substances. In *Humic substances in soil, sediment, and water: Geochemistry, isolation, and characterization,* eds. G. R. Aiken, D. M. McKnight, and R. L. Wershaw, 13–52. New York: John Wiley & Sons.

Stokes, Sir G. G. 1898. Stream-line motion of a viscous film. II. Mathematical proof of the identity of the stream lines obtained by means of a viscous film with those of a perfect fluid moving in two dimensions. Report of the 68th meeting of the British Assoc. Adv. Sci., Bristol. John Murray, London, pp. 143–44.

Streeter, V. L. 1962. *Fluid mechanics*. New York: McGraw-Hill.

Stumm, W. and J. J. Morgan. 1981. Aquatic chemistry: An introduction emphasizing chemical equilibria in natural waters. New York: John Wiley & Sons.

———. 1996. *Aquatic chemistry: An introduction emphasizing chemical equilibria in natural waters,* 3d ed. New York: John Wiley & Sons.

Su, C. and R. H. Brooks. 1975. Soil hydraulic properties from infiltration tests. Watershed Management Proceedings, Irrigation and Drainage Division, August 11-13, pp. 516–42, ASCE, Logan, Utah.

Sudicky, E. A., R. W. Gillham, and E. O. Frind. 1985. Experimental investigation of solute transport in stratified porous media. 1. The nonreactive case. *Water Resour. Res.* 21:1035–41.

Summers, K., S. Gherini, and C. Chen. 1980. Methodology to evaluate the potential for groundwater contamination from geothermal fluid releases, EPA/600/7-80/117. Cincinnati, OH: U.S. Environmental Protection Agency.

Sumner, M. E. 1992. The electrical double layer and clay dispersion. In *Soil crusting: chemical and physical processes,* eds. M. E. Sumner and B. A. Stewart, 1–32. Advances in soil science. Boca Raton, FL: CRC Press.

Sumner, M. E. and Stewart, B. A. 1992. *Soil crusting: chemical and physical processes.* Boca Raton, FL: Lewis Publishers.

Tabor, D. and R. H. S. Winterton. 1968. Surface forces: direct measurement of normal and retarded van der Waals forces. *Nature* 219:1120–121.

Talsma, T. 1977. Measurement of the overburden component of total potential in swelling field soils. *Aust. J. Soil Res.* 15:95–102.

Tang, D. H., E. O. Frind, and E.A. Sudicky. 1981. Contaminant transport in fractured porous media: An analytical solution for a single fracture. *Water Resour. Res.* 17:555–64.

Terzaghi, K. 1943. *Theoretical soil mechanics.* New York: John Wiley & Sons.

Tessens, E. 1984. Clay migration in upland soils in Malaysia. *J. Soil Sci.* 35:615–24.

Tetens, O. 1930. Uber einige meteorologische begriffe. *Z. Geophys.* 6:297–309.

Thom, A. S. and H. R. Oliver. 1977. On Penman's equation for estimating regional evapotranspiration. *Quart. J. Roy. Meteor. Soc.* 103:345–57.

Thomas, G. W. and R. E. Phillips. 1979. Consequences of water movement in macropores. *J. Environ. Qual.* 8:149–52.

Thorburn, P. J., T. J. Hatton, and G. R. Walker. 1993. Combining measurements of transpiration and stable isotopes of water to determine groundwater discharge from forests. *J. Hydrol.* 150:563–87.

Thornthwaite, C. W. and J. R. Mather. 1955. The water balance. Centerton, NJ, Drexel Institute of Technology. Laboratory of Climatology. *Publications in Climatology,* v. 8, no. 1.

———. 1957. Instructions and tables for computing potential evapotranspiration and the water balance. Centerton, NJ, Drexel Institute of Technology. Laboratory of Climatology. *Publications in Climatology,* v. 10, no. 3.

Thorstenson, D. C. and D. W. Pollock. 1989a. Gas transport in unsaturated porous media: The adequacy of Fick's law. *Rev. Geophys.* 27(1):61–78.

———. 1989b. Gas transport in unsaturated porous media: Multicomponent systems and the adequacy of Fick's law. *Water Resour. Res.* 25(3):477–507.

Thurman, E. M. 1985a. *Organic geochemistry of natural waters.* Boston: Nijhoff.

———. 1985b. Humic substances in groundwater. In *Humic substances in soil, sediment, and water: Geochemistry, isolation, and characterization,* eds. G. R. Aiken, D. M. McKnight, and R. L. Wershaw, 87–104. New York: John Wiley & Sons.

Tillotson, Patricia M. and Donald R. Nielsen. 1984. Scale factors in soil science. *Soil Sci. Soc. Am. J.* 48:953–59.

Timpson, M. E., J. L. Richardson, L. P. Keller and G. J. McCarthy. 1986. Evaporite mineralogy associated with saline seeps in southwestern North Dakota. *Soil Sci. Soc. Am. J.* 50:490–493.

Tindall, J. A., K. Hemmen, and J. F. Dowd. 1992. An improved method for field extraction and laboratory analysis of large, intact soil cores. *J. Environ. Qual.* 21:259–63.

Tindall, J. A., K. J. Lull, and N. G. Gaggiani. 1994. Effects of land disposal of municipal sewage sludge on fate of nitrates in soil, streambed sediment and water quality. *J. Hydrology* 163:147–85.

Tindall, J. A., R. L. Petrusak, and P. B. McMahon. 1995. Nitrate transport and transformation processes in unsaturated porous media. *J. Hydrology* 169:51–94.

Tindall, J. A. and W. K. Vencill. 1993. Preferential transport of atrazine in well structured soils. In *Agricultural research to protect water quality* (vol. I), 154–56. Proc. Conf., 21–24 February, Minneapolis, MN. Ankeny, IA: Soil and Water Conservation Society.

———. 1995. Transport of atrazine, 2,4-D, and dicamba through preferential flowpaths in an unsaturated claypan soil near Centralia, Missouri. *J. Hydrology* 166:37–59.

Tipping, E. and D. C. Higgins. 1982. The effect of adsorbed humic substances on the colloid stability of haematite particles. *Colloid Surf.* 5:85–92.

Tisdale, S. L. and W. L. Nelson. 1975. *Soil fertility and fertilizers.* New York: Macmillan.

Todd, D. K. 1967. *Ground water hydrology*, 6th ed. New York: John Wiley & Sons.

Topp, G. C. 1969. Soil water hysteresis measured in a sandy loam and compared with the hysteresis domain model. *Soil Sci. Soc. Am. Proc.* 33:645–51.

Toride, N., F. J. Leij, and M. Th. Van Genuchten. 1995. The CXTFIT code for estimating transport parameters from laboratory or field tracer experiments. Version 2.0. Research report no. 137. U.S. Salinity Laboratory, Agricultural Research Service. Riverside, CA: U.S. Department of Agriculture.

Toth, S. T. and R. B. Alderfer. 1960. A procedure for tagging water stable aggregates with Co-60. Soil Sci. 89:36–37.

Traina, S. J., D. A. Spontak, and T. J. Logan. 1989. Effects of cations of complexation of napthalene by water-soluble organic carbon. *J. Environ. Qual.* 18:221–27.

Travis, B. 1984. TRACER3D: A model of flow and transport in porous/fractured media, Los Alamos National Laboratory, Report LA-9667-MS. Los Alamos, New Mexico.

Tripathi, R. P. and B. P. Ghildyal. 1975. Validity of soil water evaporation versus square root of time relation. *J. Indian Soc. Soil Sci.* 23:158–62.

Tull, J. 1731. *The horse hoeing husbandry.* London: Jethro Tull.

Turcotte, D. L. 1986. Fractals and fragmentation. *J. Geophys. Res.* 91(b2):1921–26.

Tyler, S. W. and G. R. Walker. 1994. Root Zone Effects on Tracer Migration in Arid Zones. *Soil Sci. Soc. Am. J.* 58(January-February):25–31.

U.S. Army Corps of Engineers. 1956. Snow Hydrology, Summary Report of the Snow Investigations, North Pacific Division. Portland, OR, June 30.

U.S. Army. 1987. Single Pathway Preliminary Pollutant Limit Values and Preliminary Pollutant Limit Values (SPPPLV and PPLV). In *Inventory of cleaning criteria and methods to select criteria.* Unpublished Document by G. M. Richardson, Industrial Programs Branch, Environment Canada.

U.S. Bureau of Reclamation. 1984. SBIR Phase I Final Report, Modeling Physics and Chemistry of Contaminant Transport in Three-Dimensional Unsaturated Ground-Water Flow, Final Report, Contract 4-CR-93-00010, (NTIS access # PB85-160683). Washington, DC: U.S. Department of the Interior.

U.S. Department of Agriculture. 1984. User's Guide for the CREAMS Model: Washington Computer Center Version, USDA-SCS Engineering Division Technical Release 72. Washington, DC: Soil Conservation Service.

———. 1977. The 1978 Fertilizer Situation Publication FS-8. Washington DC: Econ. Res. Serv.

———. 1960. USDA yearbook of agriculture: Soils and men. Washington, DC: U.S. Government Printing Office.

U.S. Environmental Protection Agency (EPA). 1989. Determining Soil Response Action Levels Based on Potential Contaminant Migration to Ground Water: A compendium of Examples, EPA/540/2-89/057. Washington, DC: Office of Emergency and Remedial Response.

———. 1991a. Superfund Innovative Technology Evaluation (SITE) Program: EPA-540/8-91/005, Spring update.

———. 1991b. Soil Vapor Extraction Technology Reference Handbook: Office of Research and Development, EPA-540/2-91/003, February.

———. 1991c. Innovative Treatment Technologies: Overview and Guide to Information Sources: EPA-540/9-91/002, October.

———. 1989a. Determining Soil Response Action Levels Based on Potential Contaminant Migration to Ground Water: A Compendium of Examples: Office of Emergency and Remedial Response, Washington, DC, EPA-540/2-89/057, October, 144 p.
———. 1989b. Guidance for conducting remedial investigations and feasibility studies: EPA-540/G-89/004.
———. 1981. Process design manual for land treatment of municipal wastewater, Center for Environmental Research Information, EPA 625/1-81-013, October.
———. 1978. Sludge treatment and disposal. Vol. 2. Environmental Research Information Center, No. 625/4-78-012, Cincinnati, OH.
———. 1986. Quality criteria for water 1986. Washington, DC: USEPA Report 440/5-86-001.
U.S. Salinity Laboratory Staff. 1954. *Diagnosis and improvement of saline and alkali soils.* Handbook 60, ed. L. A. Richards. Riverside, CA: U. S. Salinity Lab.
U.S. Soil Conservation Service (SCS). 1980. National engineering handbook, Section 4, Hydrology. Washington, DC: U.S. Department of Agriculture.
———. 1964. National engineering handbook, Section 15, Irrigation, Chapter I, Soil-Plant-Water Relationships. Washington, DC: U.S. Department of Agriculture.
———. 1986. Urban hydrology for small watersheds, Technical release 55 (210-VI-TR-55, 2d Ed., June 1986), 6 Chapters, Appendices A through F.
———. 1970. Irrigation water requirements, Technical release No. 21, Engineering Division, September, 88 p.
———. 1971. National engineering handbook, Chapter 16, Drainage of agricultural land. Washington, DC: U.S. Department of Agriculture.
———. 1985. National engineering handbook—Section 4—Hydrology. Washington, DC: U.S. Department of Agriculture.
Valdares, J. M., Gal, M., Mingelgrin, U. and Page, A. L. 1983. Some heavy metals in soils treated with sewage sludge, their effects on yield, and their uptake by plants. *J. Environ. Qual.* 12:49–57.
Valocchi, A. J., R. L. Street, and P. V. Roberts. 1981. Transport of ion-exchanging solutes in groundwater: chromatographic theory and field simulation. *Water Resour. Res.* 17:1517–27.
Vandenberg, A. 1985. A physical model of vertical infiltration, drain discharge and surface runoff, Ottawa, Ontario, Canada: National Hydrology Research Institute, Inland Waters Directorate.
Van Bavel, C. H. M. 1967. Changes in canopy resistance to water loss from alfalfa induced by soil water depletion. *Agric. Meteor.* 4:165–76.
———. 1967. Changes in canopy resistance to water loss from alfalfa induced by soil water depletion. *Agric. Meteor.* 4:165–76.
Van der Heijde, P. K. M. 1994. Identification and compilation of unsaturated/vadose zone models, EPA/600/R-94/028, R. S. Kerr Environmental Research Laboratory, Office of Research and Development. U.S. Environmental Protection Agency, Ada, Oklahoma.
Van der Pol, R. M., P. J. Wierenga, and D. R. Nielsen. 1977. Solute movement in a field soil. *Soil Sci.Soc. Am. J.* 41:10–13.
Van Doren, D. M., Jr. and R. R. Allmaras. 1978. Effect of residue management practices on the soil physical environment, microclimate, and plant growth. In *Crop Residue Management Systems,* ed. W. R. Oschwald. ASA Spec. Pub. No. 31. Amer. Soc. of Agron., Madison, WI.
Van Genuchten, M. Th. 1978. Numerical solutions of the one-dimensional saturated/unsaturated flow equation. Report 78-WR-9, Water Resources Program, Princeton, New Jersey: Department of Civil Engineering, Princeton University.
———. 1980. A closed-form equation for predicting the hydraulic conductivity of unsaturated soils, *Soil Sci. Soc. Am. J.* 44:892–98.
———. 1981. Non-equilibrium transport parameters from miscible displacement experiments. Research Report No.119 Riverside, CA: U.S. Salinity Laboratory.
———. 1985. A general approach for modeling solute transport in structured soils. In *Proc. Hydrogeology of rocks of Low Hydraulic Conductivity. Mem. IAH* 17:513–15.
Van Genuchten, M. Th. and W. J. Alves. 1982. Analytical solutions of the one-dimensional convective-dispersive solute transport equation. *USDA Tech. Bulletin.* Washington, DC: No. 1661.
Van Genuchten, M. Th. and R. W. Cleary. 1982. Movement of solutes in soil: Computer-simulated and laboratory results. In *Soil chemistry.* B. Physico-chemical models, ed. G. H. Bolt. Amsterdam: Elsevier.
Van Genuchten, M. Th. and W. A. Jury. 1987. Progress in unsaturated flow and transport modeling. *IUGG Rev.* 25:135–40.
Van Genuchten, M. Th., F. J. Leij and S. R. Yates. 1991. The RETC code for quantifying the hydraulic functions of unsaturated soils, U.S. Environmental Protection Agency, EPA/600/2-91-065, December, Appendices A and B. Washington, DC: Office of Research and Development.
Van Genuchten, M. Th., D. H. Tang, and R. Guennelon. 1984. Some exact solutions for solute transport through soils containing large cylindrical macropores. *Water Resour. Res.* 20:335–46.
Van Genuchten, M. Th. and P. J. Wierenga. 1976. Mass transfer studies in sorbing porous media. I. Analytical solutions. *Soil Sci Soc. Amer. J.* 40:473–80.
———. 1977. Mass transfer studies in sorbing porous media. II. Experimental evaluation with tritium (3H20). *Soil Sci. Soc. Amer. J.* 41:272–78.
———. 1986. Solute dispersion coefficients and retardation factors. In Methods of Soil Analysis. I. Physical and Mineralogical Methods. Madison, WI: Soil Sci. Soc. of Amer.
Van Genuchten, M. Th., P. J. Wierenga, and G. A. O'Connor. 1977. Mass transfer studies in sorbing porous media. III. Experimental evaluation with 2,4,5-T. *Soil Sci. Soc. Amer. J.* 41:278–84.
Van Olphen, H. 1963. *An introduction to clay colloid chemistry.* New York: Interscience.
———. 1969. Thermodynamics of interlayer adsorption of water in clays: II. *Proc. Int. Clay Cong. Tokyo* 1:649–57; 2:161.
———. 1977. *An introduction to clay colloid chemistry,* 2d ed. New York: John Wiley & Sons.
Van Zyl, D. J. A., I. P. G. Hutchinson and J. E. Kiel eds. 1988. *Introduction to Evaluation, Design and Operation of Precious Metal Heap Leaching Projects.* Littleton, CO: Society of Mining Engineers, Inc.
Vehrencamp, J. E. 1953. Experimental investigation of heat transfer at an air-earth interface. *Trans. Amer. Geophys. Union* 34:22–30.
Verma, S. B. 1990. Micrometeorological methods for measuring surface fluxes of mass and energy. In *Instrumentation for studying vegetation canopies for remote sensing in optical and thermal infrared regions,* eds. N. S. Goel and J. M. Norman, *Remote Sensing Reviews* 5(1):99–115.
Verwey, E. J. W. and J. T. G. Overbeek. 1948. *Theory of the stability of lyophobic colloids.* New York: Elsevier.
Viehmeyer, F. J. and F. A. Brooks. 1954, Measurements of cumulative evaporation from bare soil. *Transactions of the American Geophysical Union.* 35:601–607.
Vinten, A. J. A. and P. H. Nye. 1985. Transport and deposition of dilute colloid suspensions in soils. *J. Soil Sci.* 36:531–41.
Voet, A. 1936. Ionic radii and heat of hydration. *Trans. Faraday Soc.* 32:1301–04.
Von Reichenbach, H. and G. von der Bussche. 1963. Investigation on strontium sorption in the soils of Schleswig Holstein. *Z. PfiErnahr* 101:24–33.
Voss, C. I. 1984. SUTRA: A finite element simulation model for saturated-unsaturated fluid density-dependent ground water flow with energy transport or chemically reactive single species solute transport. Water-resources investigations report 84-4369. Reston, VA: U.S. Geological Survey.
Wackernagel, H. 1995. *Multivariate geostatistics.* New York: Springer-Verlag.
Wagenet, R. J. and B. K. Rao. 1983. Description of nitrogen movement in the presence of spatially-variable soil hydraulic properties. *Agricultural Water Management* 6:227–42.
Waggoner, P. E., P. M. Miller, and H. C. DeRoo. 1960. Plastic mulching-principles and benefits. Bulletin No. 634. New Haven, CT: Conn. Agric. Expt. Sta.
Walker, C. D. and J. -P. Brunel. 1990. Examining evapotranspiration in a semi-arid region using stable isotopes of hydrogen and oxygen. *J. Hydrol.* 118:55–75.
Walker, G. R., I. D. Jolly, M. H. Stadter, F. W. Leaney, R. F. Davie, L. K. Fifield, T. R. Ophel, and J. R. Bird. 1992. Evaluation of the use of chlorine-36 in recharge studies. In *Isotope Techniques in Water Resources Development 1991.* Proceedings of an International Symposium on Isotope Techniques in Water Resources Development, IAEA, Vienna, pp. 19–29.
Wallis, P. M. 1979. Sources, transportation, and utilization of dissolved organic matter in groundwater and streams. Inland water directorate scientific series #100. Ottawa, Canada: Environment Canada.
Wang, K. 1992. Estimation of ground surface temperatures from borehole temperature data. *J. Geophys. Res.* 97:2095–99.
Ward, J. C. 1964. Turbulent flow in porous media. *Proc. Amer. Soc. Civil Eng. No. Hy5* (90):1–12.
Warrick, A. W. 1974. Solution to the one-dimensional linear moisture flow equation with water extraction. *Soil Sci. Soc. Am. Proc.* 38:573–76.
Warrick, A. W., J. W. Biggar, and D. R. Nielsen. 1971. Simultaneous solute and water transfer for an unsaturated soil. Water Resour. Res. 7:1216–25.
Warrick, A. W., D. O. Lomen, and A. L. Islas. 1990. An Analytical Solution to Richards' Equation for a Draining Soil Profile. *Water Resources Research* 26(2):253–58.
———. 1991. An analytical solution to Richards' Equation for time-varying infiltration. *Water Resources Research* 27(5):763–66.
Warrick, A. W., G. J. Mullen, and D. R. Nielsen. 1977. Scaling field-measured soil hydraulic properties using a similar media concept. *Water Res. Res.* 13:355–62.
Warrick, A. W., M. H. Young, S. A. Musil, P. J. Wierenga, and L. L. Hofmann. 1996. Probability of intersecting hot spots with alternative subsurface sampling patterns.
Watson, K. K. and M. J. Jones. 1982. Hydrodynamic dispersion during absorption in a fine sand. 2. The constant flux case. *Water Res. Research* 18:1435–1443.
Watson, K. W. and R. J. Luxmoore. 1986. Estimating macroporosity in a forest watershed by use of a tension infiltrometer. *Soil Sci. Soc. Am. J.* 50:578–87.
Way, S. C., A. C. Bumb, R. A. Koenig, C. R. McKee and J. M. Reverand. 1985. Hydrologic characterization of coal seams for methane recovery, activities 5 and 7 progress report: Review of single-phase hydrologic testing in coalbeds and development of unsaturated-flow well test procedures, Topical Report (June 1983–December 1984). Report prepared by In-Situ, Inc. for the Gas Research Institute, Report No. GRI-85/0046, Appendices A through D, May. Chicago, IL: Gas Research Institute.
Webb, E. K., G. I. Pearman, and R. Leuning. 1980. Correction of flux measurement for density effects due to heat and water vapor transfer. *Quart. J. Roy. Meteor. Soc.* 106:85–100.
Weeks, E. P. 1978. Field determination of vertical permeability to air in the unsaturated zone. U. S. Geol. Surv. Prof. Pap. 1051.
———. 1987. Effect of topography on gas flow in unsaturated fractured rock: Concepts and observations. In *Flow and transport through unsaturated fractured*

rock, eds. D. D. Evans and T. J. Nicholson, 165–70. Geophys. Monogr. 42, Amer. Geophys. Un., Washington, DC.

———. 1993. Does the wind blow through Yucca Mountain? U.S. Nuclear Reg. Comm. Rpt. NUREG/CP-0049, pp. 43–53. Washington, DC: U.S. Nuclear Reg. Comm.

Weil, R. R., R. A. Weismiller, and R. S. Turner. 1990. Nitrate contamination of groundwater under irrigated coastal plain soils. *J. Environ. Qual.* 19:441–48.

Wells, P. R. 1968. *Linear free energy relations.* New York: Academic Press.

Wesseling, J. G., P. Kabat, B. H. van den Broek, and R. A. Feddes. 1989. *SWACROP: Simulating the dynamics of the unsaturated zone and water limited crop production.* Wagenigen, The Netherlands: Winand Staring Centre, Department of Agrohydrology.

West, L. T., S. C. Chiang, and L.D. Norton. 1992. The morphology of surface crusts. In *Soil crusting: chemical and physical processes,* eds. Summer and Stewart. Boca Raton, FL: Lewis Publishers.

White, R. E. 1985. The influence of macropores on the transport of dissolved and suspended matter through soil. In *Advances in soil science,* Vol. 3, ed. B. A. Stewart, 95–120. New York: Springer-Verlag.

Whitford, W., Aldon, E. F., Freckman, D. W., Steinberger, Y. and Parker, L. W. 1989. The effects of organic amendments on soil biota on a degraded rangeland. *J. Range Management* 42:56–60.

Whittig, L. D. and W. R. Allardice. 1986. X-ray diffraction techniques for mineral identification and mineralogical composition. In *Methods of Soil Analysis,* Part I, Chap. 49, pp. 331–359. ASA, Madison, Wisconsin.

Wickland, K. and R. Striegl. 1997. *Measurements of soil carbon dioxide and methane concentrations and fluxes, and soil properties at four ages of Jack Pine forest in the southern study area of the Boreal Ecosystem study, Saskatchewan, Canada, 1993–5.* U.S. Geological Survey Open File Reprt. 97–49, Denver, CO.

Widstoe, J. A. 1911. *Dry farming.* New York: The Macmillan Co.

———. 1914. *The principles of irrigation practice.* New York: Macmillan.

Widstoe, J. A. and W. W. McLaughlin. 1902. Irrigation experiments in 1901 (on the college farm). Bulletin 80, Utah Agr. Exp. Sta., Logan, UT.

———. 1902. *The movement of water in irrigated soils.* Utah Agr. Exp. Sta. Bulletin. 115, p. 224.

Wierenga, P. J., M. H. Young, G. W. Gee, R. G. Hills, C. T. Kincaid, T. J. Nicholson, and R.E. Cady. 1993. *Soil characterization methods for unsaturated low-level waste sites.* NUREG/CR-5988, PNL-8480. Washington, DC: U.S. Nuclear Reg. Comm.

Wiersum, L. K. (1957). The relationship of the size and structural rigidity of pores to their penetration by roots. *Pl. Soil* 9:75–85.

Wild, A. 1988. *Russell's soil conditions and plant growth.* 11th ed. Essex, England: Longman Scientific and Technical. Co-published in the U.S.; New York: John Wiley & Sons, Inc.

Wild, S. R., S. P. McGrath, and J. C. Jones. 1990. The polynuclear aromatic hydrocarbon (PAH) content of archived sewage sludge. *Chemosphere* 20:703–16.

Wilemski, G. 1982. Weak repulsive interaction between dissimilar electrical double layers. *J. Colloid Interface Sci.* 88:111–16.

Wilkening, M. H. 1974. Radon 222 from the island of Hawaii: Deep soils are more important than lava fields or volcanoes. *Science* 183:413.

Wilkening, M. H., W. E. Clements, and D. Stanley. 1974. Radon flux in widely separated regions. In *Natural Radiation Environment II.* Technical Information Division. Oak Ridge, TN: U.S. Atomic Energy Commission.

Wilkinson, G. E. and A. Klute. 1962. The temperature effect on the equilibrium energy status of water held by porous media. *Soil Sci. Soc. Am. Proc.* 17:326–329.

Williams, J. K. and R. A. Dawe. 1986. Fractals—An overview of potential applications to transport in porous media. *Transport Porous Media* 1:201–10.

Williams, J. R., T. E. Short, C. L. Eddington and C. G. Enfield. 1988. Contaminant transport and fate in unsaturated porous media in the presence of both mobile and immobile organic material. Ada, OK: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory.

Williams, R. J., K. Boersma, and A. L. van Ryswyk. 1978. Equilibrium and actual evapotranspiration from a very dry vegetative surface. *J. Appl. Meteor.* 17:1827–32.

Williamson, S. J. 1973. Fundamentals of air pollution. Reading, MA: Addison-Wesley.

Winterkorn, H. F. and L. D. Baver. 1934. Sorption of liquids by soil colloids: I. Liquid intake and swelling by soil colloidal materials. *Soil Sci.* 38:291–98.

Witten, T. A. and L. M. Sander. 1983. Diffusion-limited aggregation. *Phys. Rev. B* 27:5686–97.

Wium-Andersen, S. 1971. Photosythetic uptake of free CO_2 by the roots of Lobelia dortmanna. *Physiol. Plant.* 25:245–48.

Wofsy, S. C., M. L. Goulden, J. W. Munger, S. -M. Fan, P. S. Bakwin, B. C. Daube, S. L. Bassow, and F. A. Bazzaz. 1993. Net exchange of CO_2 in a mid-latitude forest. *Science* 260:1314–1317.

Wollney, M. E. 1878. Untersuchungen uber den einfluss der pflanzendecke und der beschttung auf die physikalischen eigenschaften des bodens. *Forsch. Gebiete Agr. Phys.* 6:197–256.

Wollum, A. G. and D. K. Cassel. 1978. Transport of microorganisms in sand columns. *Soil Sci. Soc. Am. J.* 42:72–76.

Woolridge, D. D. 1965. Tracing soil particle movement with Fe-59. *Soil Sci. Soc. Am. Proc.* 29:469–72.

Wymore, I. F. 1979. Draft report, *Estimated water balance for the proposed Union Oil Company shale disposal pile.* Report Prepared for Union Oil Company of California, February.

Yao, K. M., M. T. Habibian and C. R. O'Melia. 1971. Water and waste water filtration: concepts and applications. *Environ. Sci. Technol.* 5:1105–12.

Yeh, G. T. and R. H. Strand. 1982. FECWATER: User's manual of a finite-element code for simulating water flow through saturated-unsaturated porous media. ORNL/TM 7316, Oak Ridge National Laboratory, Oak Ridge, Tennessee.

Yeh, G. T. and D. S. Ward. 1980. FEMWATER: A finite-element model of water flow through saturated-unsaturated porous media. ORNL-5567, Oak Ridge National Laboratory, Oak Ridge, Tennessee.

Young, M. H., P. J. Wierenga, A. W. Warrick, L. L. Hofmann, S. A. Musil, B. R. Scanlon, and T. J. Nicholson. 1996. *Field testing plan for unsaturated zone monitoring and field studies.* NUREG/CR-6462. Washington, DC: Nuclear Reg. Comm.

Youngs, E. G. 1964. An infiltration method measuring the hydraulic conductivity of unsaturated porous materials. *Soil Science* 97:307–11.

Zimmerman, U., D. Ehhalt, and K. O. Munnich. 1967. Soil-water movement and evapotranspiration: Changes in the isotropic composition of water. Proceedings of the Symposium on Isotope Hydrology, Vienna, November 14–18, 1966, pp. 567–85, IAEA, Vienna, Austria.

INDEX

A

A horizon, 14
AB horizon, 14
AC horizon, 14
acid dissociation, 137–139
activity coefficient, 131–134, 137
adhesive forces, 98
adsorption coefficient, 127
adsorption isotherms, 290
advective dispersion equation (ADE), 280
aerobic respiration, 146
aggregate stability, 85
aggregated soils, 306–309
aggregate formation, 81–84
aggregation, 79–81, 82
air conductivity, 221
air diffusivity, 221
air entry value, 418
air-filled porosity, 32–33
air sparging, 515–517
air temperature, 380, 381
albedo, 212
allophanes, 12, 13, 56
allowable concentration model, 504
algebra, 571
alumina octahedron, 12
AMC, 384, 386
amorphous clays, 10
amorphous material, 8
analytical models, 407, 429
analytical solution, 411, 413, 416
    three-dimensional, 434
anion exclusion, 289
anisotropic, 172
antecedent soil moisture conditions, 384
areal measurements, 372–373
    detention flow technique, 372
    time-condensation technique, 372
    block techniques, 372
attractive forces, 98
Avogadro's number, 41

B

b dimension, 69
B horizon, 14
balloon pressure, 87
Bateman's equation, 304
Bernoulli's equation, 153–155
BET equation, 35
Bingham liquid, 171
biochemical degradation, 126
bioconcentration factor, 291
biodegradation, 127
biological treatment, 518
bioremediation, 127
Blaney–Criddle, 392
Boltzmann constant, 41, 44, 48
    distribution, 50, 431, 432
    equation, 48, 458
    transformation, 195–197, 288
boundary conditions, 295–299, 303
Bowen-ratio-energy-balance (BREB), 241
box dimension, 541–543
Boyle's law, 245
breakthrough curve, 276–288
Brooks–Corey, 422
    variables, 356
Brownian motion, 21, 72, 549
    fractal, 551
Buck's equation, 206
bubbling pressure, 418
bulk density, 30, 85

C

C horizon, 14
calculus, 577–582
cap design, 512
capillarity, 98–101
capillary fringe, 483
capillary conductivity, 188
capillary number, 558
capillary potential, 102–103
capping, 511–513
cation exchange capacity (CEC), 33, 63–64
Cauchy condition, 295
cementing agents, 87
center-of-mass technique, 461
centrifugation, 22
cgs unit system, 41
chamber systems, 268
Charles' law, 245
chemical crust, 87
chemical potential, 56, 113, 115
chemical saturation, 145
chloride, 463
Chlorine-36, 463
Clapp and Hornberger constant, 500
Clausius–Clapeyron equation, 204
clays, 7–12
cleavage plane, 88
clod, 17, 79
colloid
    migration, 318
    transport, 322–325
colloidal facilitated transport, 318–325
complimentary error function (erfc), 586
compressibility factor, 112
compression chamber, 29
concretion, 18, 79
condensation, 202–204
conduction, 201
consolidation, 53
constant charge, 56–58
constant surface potential, 56–58
contact angle, 97, 98, 99, 120
contaminant profile model, 506
continuity equation, 175, 185, 417, 421
coulombic interaction, 64
Coulomb's law, 41
coupled processes, 128–129
coupled transport, 258–260
critical zeta potential, 70
crusted soils, 365–367
crystal lattice, 8
cubic polynomial, 573
cumulative infiltration, 354, 360

D

Dalton's law, 204, 246, 390
Darcy's law, 107, 165, 171, 184, 234, 479
    limits of, 170
    validity, 185
Debye–Hückel, 47, 132
dead end pores, 31
decision-tree process, 507
deflocculation, 19, 72
degree of saturation, 31
denitrification, 147
depositional crust, 85
deterministic flow models, 409–429
deuterium, 464
devil's staircase, 548
dielectric constant, 41
differential equations, 581–582
differential heat of wetting, 41
differential pressure transducer, 570
diffusion, 142–143
    coefficient, 143, 307
    equation, 178–179
    ordinary, 255
    nonequimolar, 255
diffusion-limited aggregation (DLA), 554–556
diffusivity, molecular, 258
Dirichlet condition, 295
discontinuity, 187
dispersion, 19, 39, 72–73, 305
    longitudinal, 276
dispersion coefficient, 286–288
    calculating, 285
dispersivity, 288
displacing front, calculating, 285
dissolved species, 140–142
DLVO theory, 39, 54–63, 319
Donan equilibrium, 68
Dorn effect, 51
double-layer potential, 62
double-layer theory, 47, 61
drag forces, 275
drainage cycle, 117
Dupuit assumption, 482
Dupuit–Forchheimer theory, 478

E

eddy covariance, 242
    deployment, 243
Einstein equation, 550, 558
    Brownian motion, 323
electric dipole, 96
electrical potential, 52

electrical resistivity borehole tomography, 566
electromagnetic energy spectrum, 211
electromagnetic induction, 566
electroneutrality, 136–137
electroosmosis, 51–53
electroosmotic
hydraulic conductivity, 52
dewatering, 52, 53
velocity, 50
electrophoresis, 50, 53, 54
electrostatic attractive forces, 58
elutriation, 22
emission spectra, 214
emissivity, 212
energy balance, 215–221, 401, 407
components, 217
earth, 213
energy budget, 216, 217
measuring terms, 240
energy exchange, 210–212
energy transfer, 201–202
entrapped air, 84, 120, 169
equilibrium chromatography, 292–294
equilibrium constant, 63
equipotential lines, 484
equivalent curve numbers, 387
equivalent depth of water, 31
error function, 281, 587
Eulerian method, 294
evaporation, 202–204, 389–399
requirements, 303
from shallow water table, 233
evapotranspiration, 238, 391
model estimates, 238
exchange sites, types, 301
exchangeable sodium percentage (ESP), 65, 85, 86
exit boundary condition, 297
exponential distribution, 534
extended Debye-Hückel, 132
extraction function, root, 466

F

falling rate stage, 232
FAO–Penman, 395
feldspar, 15
Fermi distribution, 431, 432
Fickian diffusion, 253–254
Fick's first law, 279
field radiation, 401
field water balance, 379–401
fingering, 312, 313
first-order decay coefficient, 303
factor, 445
flocculation, 39, 60, 70–72, 81
stages of, 39, 40, 72
Florida Everglades, case study, 491
flow, fluid, 478
between parallel ditches, 480–481
nets, 485–488
toward well, 479–480
in unconfined aquifer, 478–479
with uniform recharge, 481–482
fluidity, 166
flux density, 166, 167
foliage density, 219
Fourier's law, 223
fractal(s), 534
Brownian motion, 551
construction, 543–545
diffusion fronts, 556
dimension, 539, 543, 545
global dimension, 551
grid dimension, 546
point dimension, 546–547
self-affine, 548–554
self-similar, 545–547
fractionation, 19
fractured media, 309–310
fragment, 17, 79
Freundlich equation, 291, 497, 498
frictional coefficient, 143
Frumkin, type equation, 141
fulvic acids, 73–76
function, definition, 572
furrow techniques, 374

G

Gapon equation, 64
gas expansion, 29
gas flow, 251
geometric mean, 172
geometric relations, 575
geostatistics, 529
Gibbs, free energy, 55, 135, 136
function, 116
Gouy–Chapman theory, 63
gravity segregation, 286
Green–Ampt infiltration model, 353, 356, 361
approach, 353
cumulative infiltration, 357
equation, 355
greenhouse gasses, 200, 201, 214
Griffith theory (crack propagation), 89
Guoy–Chapman theory, 47, 49
Guoy distribution, 49

H

Hagan–Pouiselle's law, 278
Hamaker constant, 59, 60
Hammett correlation, 138
Hausdorff–Besicovitch dimension, 542
heat capacity, 130
heat dissipation sensor, 568
heat flux, 241
latent, 241
sensible, 241
heat of immersion, 42, 43, 45
heat of wetting, 42, 43
heat transport, 224
sinusoidal solution to, 224
Heaviside unit function, 304
height of capillary rise, 100
Helmont, Jan Baptiste van, 3
Helmholtz theory, 49, 52
Henry's law, constant, 441, 445, 446
coefficients, 261
Hofmeister series, 64
Holtan's equation, 358
Hooghoudt's equation, 482, 489
horizontal diffusivity, equation, 195
horizontal infiltration rate, 360
Horton equation, 356–358
hull, 556
humic acid, 73–76, 83, 126
humins, 74
humus, 13, 73–79
Hurst, exponent, 548
empirical law, 548–549
hydration, 39, 65–70
hydraulic conductivity, 52, 166–170, 416, 477
hydraulic diffusivity, 192–195
hydraulic potential, 111, 275
hydraulic pressure, 477
hydrodynamic dispersion, 276, 277, 278
coefficient, 229, 289
hydrodynamic flux, 279
hydrogen bonding, 11, 83
hydrolysis, 139–140
hydrometer, 22
hydrophilic, 75
hydrophobic, 75
hydroxy-interlayered minerals (HIM), 320
hydroxyl groups, 63, 141
hyperbolic distribution, 554
hysteresis, 33, 117–121

I

ideal gas law, 245
illite, 11
immiscible displacement, 275
infiltration, 346
cumulative, 368
point measurements, 373
rate, 348, 364
theories, 352–362
infinite dilution activity coefficient, 133–134
initial conditions, 295–299, 303
ink bottle effect, 118
inlet boundary condition, 297
in-situ vitrification, 521
interactive repulsive forces, 55
interception, forest, 379
interfacial tension, 98
intergranular pressure, 111–113
internal drainage, 370
International System of Units (SI), 592
intra-aggregate, 307
ion complexes, 140–142
ion exchange, 63, 305
types of, 293
irrotational flow, 153
isomorphous substitution, 46, 47
isotropy, 172

J

Jacobian, 527
Jensen–Haise, 392, 395, 396

K

kaolinite, 11, 44, 56
Khanji model, 361
kinematic profile, 420, 421–426
moisture, 423
Kirchoff's law, 212
integral transformation, 409
Klinkenberg effect, 256
Knudsen-diffusion coefficient, 256

Kostiakov equation, 356, 358
Kozeny's equation, 191
Kriging, 530–531

L

Lagrangian method, 294
laminar flow, 21, 159, 160
landfills, 331
Langmuir equation, 35, 75
  isotherms, 290
Laplacian differential operator, 42
Laplace's equation, 175–178, 536
law of cosines, 575
law of sines, 575
layered media, 310–312
layered soils, 363–365, 413
linear polynomial, 573
liquid, properties of, 152, 350
logarithms, 577
log-normal distribution, 533
  PDF, 533
London frequency, 60
lyotropic series, 65
lysimeter, 334

M

macropores, 312, 313, 362
  flow, 313
macroporosity factor, 363
mass action, 129–131
mathematics review, 571–585
measurement error, 532
mechanical agitation, 19
mechanical analysis, 16
mechanical dispersion, 278
Menger sponge, 545
mercury injection, 29
mesopores, 313
methane profiles, 265
mica, 15
microbial mediation, 147–148
microbial sealing, 169
micropores, 313
mineralogical composition, 7, 8
miscible displacement, 275
modulus of rupture, 87
moisture characteristic curve, 117, 456
molar solubility, 144
molecular diffusion, 279–280
  coefficient, 280
monitoring, 511
  devices, 561–570
monochromatic radiation, 212
monomial, 573
montmorillonite, 11, 33
Morel–Seytoux model, 361
multiphase transport, 260–262

N

Navier–Stokes equation, 557
net radiation, 241
Neumann condition, 295
neutron probe, 565
Newtonian liquid, 171
Newton's law, 274
nitrous oxide, 477
no action, 510
no-flow boundary, 444
non-Darcy flow, 185
nonequilibrium conditions, 301–305
nonreactive solutes, 288
nonuniform distribution, 315
number of samples, calculation, 528
numerical solutions, 299–301
  equilibrium exchange, 299
  models, 408, 427, 448, 459

O

O horizon, 14
octanol–water
  activity coefficients, 132
  partition coefficients, 132, 502–503
on-site thermal treatment, 520–521
operator, mathematical, 572
osmotic pressure, 67, 107
osmotic swelling, 68
overburden pressure, 110, 112
oxidation, reactions, 145
oxygen hole, 11
oxygen-18, 464

P

pan-evaporation method, 397
particle-size analysis, 16, 19–24
particle-size distribution, 19
particle density, 16, 24–26
passive bioremediation, 510
Peclet number, 288, 298, 299, 441, 442
ped, 17, 79
Penman model, 239
Penman–Monteith, 239
perimeter area dimension, 547
permittivity, 40, 50
pH, 147
Philip model, 360–361
photosynthesis, 235
physical constants
  for unsaturated zone, 590
  for selected liquids, 454
physical properties, 7
pipette method, 24
piston flow, 277
Poiseuille's law, 158, 159, 190, 536
Poisson distribution, 534
Poisson's equation, 42, 50
polynomial, 573
pore compression coefficient, 112
potential(s)
  gravitational, 102, 104, 105, 113
  hydraulic pressure, 110
  hydrostatic pressure, 110
  intermolecular, 43
  matric, 106, 109–110, 188
  osmotic, 105, 106
  pressure, 103, 113
  vapor, 107–108
power-law distribution, 531–534
power-law relation, 410
power spectral density, 553
powers, in math, 576
precipitation, 380
predictive equations for K_{oc}, 499
preferential flow, 312
  paths, 312–318
  modeling, 315–318
pressure equivalent, 103
pressure field, 250
Priestly–Taylor, 239
probability density function, 470, 471
profile-moisture distribution, 347–352
psychrometers, 206, 208
psychrometric chart, 205
  equation, 206
pycnometer, 25, 29

Q

quicksand, 111
quadratic polynomial, 573

R

R horizon, 14
radiation, 201
  longwave, 229
  solar variation, 229
  terrestrial, 214
radiation balance, 212–215, 401–402
  solar, 213
radionuclides, 305
  distribution, 332–338
  properties, 305
radius of curvature, 99, 100
radon gas, 201
  transport, 266
rainfall simulators, 373
random variables, 531
random walks, 549–550
Raoult's law, 114
recharge rate, 477
redistribution, 369–370
  processes, 417
  water, 369
redox reaction, 145–147
relative error, 469
relative humidity, 204
remediation monitoring, 563
remote data aquisition, 564
repulsive force, 39, 57, 59
rescaled range, 552
resistivity, 167, 191
retardation coefficient, 291, 442
retardation constant (R), 59
Reynolds number, 161, 170, 248
Richards' equation, 292, 418, 429
  derivation of, 339
ring/cylinder infiltrometers, 373
RITZ model, 509
root extraction function, 466, 467
  uniform, 468
root zone, 1
roughness/length, 552
ruler dimension, 547
runoff, 367–369, 383–389
  curve number, 385
  volume, 368

S

sampling wells, 570
saturated flow, 173–175

saturated vapor pressure, 204
scaling, 534–540
scanning curve, 118
Schultz–Hardy rule, 71, 73
SCS curve number, 384
sedimentary crusts, 86
sedimentation, 20
self-similarity, 540
semivariogram, 530
semivolatile organic compounds, 126
separates, 15
sesquioxides, 12
Sierpinski carpet, 544
silica tetrahedra, 8, 12
silicate clays, 9
similarity dimension, 541
similitude analysis, 536
site characterization, 561–562
skin seal, 86
slaking, 83, 84
slipping plane, 50, 70
Smith–Parlange model, 361
snowmelt, 387–389
sodium adsorption ratio (SAR), 64, 65
soil(s)
    air composition, 262
    air measurement, 207
    characteristics, 349, 384
    classes, 18–19
    cracking, 88–90
    crusting, 84–88
    excavation, 518–519
    formation, 13
    forming factors, 8
    flushing, 517–518
    frequency distribution, 524
    gas transport, 245–258
    heat flux, 223, 240
    heat transfer, 221–226
    horizon, 13, 14
    humidity, measurement, 208
    hydrologic grouping, 359
    measuring gas flux, 267
    moisture characteristic curve, 117, 188, 232, 400
    moisture diffusivity, 3
    moisture distribution, 238
    moisture evaporation, 230–234
    permeability, 166, 169, 173, 246
    –plant–atmosphere continuum, 235
    porosity, 26–29, 246
    pressure, 95
    profile, 13–14
    remediation, 494
    shrinking, 120
    stages of drying, 230, 231
    structure, 17
    swelling, 65, 66, 120
    temperature, 218
        diurnal variation, 228
    temperature distribution, 226–230
    temperature profiles, 227
    texture, 15–18, 85
    textural classification, 388
    textural triangle, 18
    thermal conductivity, 222
        calculation of, 223
    thermal properties, 202
    venting, 513–515
    water flux, 258
solar radiation, 380
solubility, 143–145
solute movement, 273, 274
solution samplers, 569
sorption curve, 117
sorption of contaminants, 76–79
sorptivity, 354, 360
sorption reactions, 289–292
spatial moments, 311
spatial variability, 524
specific surface area, 33–35
SPPPLV model, 506
static forces, 275
steady-state solution, 436
Stephan–Boltzmann constant, 213
Stern layer, 44
Stern's double-layer theory, 47, 49
stochastic models, 470–474
Stoke's law, 20, 21, 50
stomatal function, 237
streaming potential, 54
streamlines, 484
structural crusts, 86
structure of water, 95–97
submergence potential, 109
Summers model, 504
    modified, 505
surface charge, 46
surface tension, 98, 99
swelling pressure, 66, 68

T

taste function, 583–584
tensiometer, 567
    pressure potential, 111
tension infiltrometers, 374
tetrahedral lattice, layers, 11
Tetson's equation, 206
thermocouple, 207
three-dimensional solution, 439
    deterministic flow model, 448
time domain reflectometry, 565
Torricelli's law, 155–158
tortuosity, 167
    diagram of, 252
total petroleum hydrocarbons (TPH), 494
total potential, 103, 104, 106
total potential energy, 60–62
tracer flux, 465
tracers, 460–470
transfer function model, 462, 464, 470–474
transition zone, 348
transmission zone, 348
transpiration, 236, 389–399
    measuring, 244
transport parameters, 309
triadic Von Koch curves, 540
trigonometric functions, 574
tritium, 463
turbulent flow, 159
two-dimensional solution, 439
two-phase air–NAPL system, 452

U

uniform distribution, 315
unsaturated flow equations, 3, 189–192
unsaturated hydraulic conductivity, 185–189

V

vacuum extraction system, 513
vadose zone, definition, 1
van der Waals–London forces, 9, 46, 55, 58, 59, 60, 78
Van Laar equation, 133
vapor
    pressure, 108
    diffusion, 105
variable charge, 9
variogram, 553
vector, 582
vector calculus, 580–581
velocity gradient, 160, 161
vermiculite, 11
viscous fingering, 554, 556–559
viscous flow, 247, 249, 250, 251
Voet equation, 44
void ratio, 26, 28
volatile organic compounds (VOC), 126, 513

W

Washburn–Bunting porosimeter, 29
Water
    balance, 380
    budget, 239
    content, 30–31
        profiles, 351, 352
    film, 95
    imbibition, 65
    immobile, 305
    mobile, 305
    retention, 33
    table, 483
water-soluble organic carbon (WSOC), 78, 321
wetland definition, 477
wetting zone, 347, 348

Y

Young's equation, 98
    modulus, 89
Yucca Mountain, 330

Z

zeta potential, 50, 70, 71
zone of aeration, 1